	IEUCE	NEUCECRIL ACETINA Code: 07.01.04.04	ADO BRANCO/B1		
Versio	on: 10 Re	vision: 23/11/2021	Previous revision: 11/05/2020	Date of printir	ng: 23/11/2021
SECTIO	ON 1 : IDEN	TIFICATION OF THE SUB	STANCE/MIXTURE AND OF THE COMPANY	Y/UNDERTAKING	
1.1	PRODUCT IE	<u>)ENTIFIER:</u>	NEUCECRIL ACETINADO BRAN Code: 07.01.04.04	ICO/B1	
1.2	Intended us Coating for e Sectors of us # Profession # Consumer Uses advise # None. As t consistent v	es (main technical functions exterior walls of mineral sub se: nal uses (SU22). dagainst: there is not classified as dan with the safety guidelines pri on manufacture, placing on	ostrate , wate r-borne. Ingerous, this product can be used in ways othe	[_] Industrial [X] Professional [>	-
1.3	NEUCE - Ind Rua Francisc Phone: +35 E-mail addr	51 256 840040 - Fax: +351	00-892 - Romariz SJM (Portugal)		
1.4		TELEPHONE NUMBER: +3	351 256 840041 (9:00-18:30 h.) (working ho	urs)	
SECTIO	ON 2 : HAZA	RDS IDENTIFICATION			
2.1	This product Note: When concentratic Note: This p or under ord	n in section 3 a range of perc on of each component, but b product does not require a Se	bus, in accordance with Regulation (EU) No. 12 centages is used, the health and environmenta below the maximum value. Safety Data Sheet according to the Regulation (not present a physicochemical, health safety o	al hazards describe the effects of the highest (EC) no. 2015/830. When used as recomme	ended
2.2	Hazard state None. Precautiona P102 P262 P280B P273 Supplement EUH208 EUH210 Substances None.	t does not require pictogram ements: ry statements: Do not get Wear pro te Avoid relea cary statements: Contains m Safety data that contribute to classificat	ns, in accordance with Regulation (EU) No.127 of reach of children. : in eyes, on skin, or on clothing. ective glovesand eye protection . ase to the environment. nixture CIT EC 247-500-7 MIT EC 220-239-6 (a sheet available on request. tion: praying (hazardous respirable droplets may no	3:1). May produce an allergic reaction.	
2.3	Other physic Other adver	ich do not result in classifica cochemical hazards: No oth se human health effects: N	ation but which may contribute to the overall h ner relevant adverse effects are known. No other relevant adverse effects are known. Does not contain substances that fulfil the PBT/		

	ION 3 : COMPOSITIO	N/INFORMATION ON INGREDIENTS			
1	SUBSTANCES:				
	Not applicable (mixtu	ıre).			
2	MIXTURES: This product is a mixt				
	Chemical description: Mixture of pigments,	extenders, resins and additives in aqueous media.			
	HAZARDOUS INGREDI	ENTS:			
	Substances taking pa	rt in a percentage higher than the exemption limit:			
	CAS CLF (or	action mass of 5-chloro-2-methyl-2H-isothiazol-3-one 5: 55965-84-9, List No. 611-341-5 REA 2: Danger: Acute Tox. (inh.) 2:H330 Acute Tox. (skin) al) 3:H301 Skin Corr. 1C:H314 Eye Dam. 1:H318 S Jatic Acute 1:H400 (M=100) Aquatic Chronic 1:H410 (ACH: Exempt (biocide) Index No. 613-167-00-5 2:H310 Acute Tox. (Note B) < ATP1		
	Impurities: Does not contain othe	er components or impurities which will influence the clas	sification of the product.		
	<u>Stabilizers:</u> None				
	Reference to other sec	ctions:			
	For more information,	see sections 8, 11, 12 and 16.			
		<u>/ HIGH CONCERN (SVH C):</u>			
		on 08/07/2021. ject to authorisation, included in Annex XIV of Regulation	n (EC) no. 1907/2006:		
	None <u>Substances SVHC can</u> None	didate to be included in Annex XIV of Regulation (EC) no	. 1907/2006:		
		BLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULAB stances that fulfil the PBT/vPvB criteria.	<u>E VPVB SUBSTANCES:</u>		
СТ	ION 4 : FIRST AID ME	ASURES			
-	DESCRIPTION OF FIRS	T-AID MEASURES:			
Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.					
	persist, s	eek medical attention. Never give anything by mouth t	o an unconscious person.		
	Route of exposure	eek medical attention. Never give anything by mouth t Symptoms and effects, acute and delayed It is not expected that symptoms will occur	Description of first-aid measures Should there be any symptoms, transfer the person		
	Route of exposure	eek medical attention. Never give anything by mouth to Symptoms and effects, acute and delayed It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur	Description offirst-aid measures Should there be any symptoms, transfer the person affected to the open air. Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not		
	Route of exposure Inhalation: Skin:	eek medical attention. Never give anything by mouth t Symptoms and effects, acute and delayed It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur	Description offirst-aid measures Should there be any symptoms, transfer the person affected to the open air. Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners. Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the		
2	Route of exposure Inhalation: Skin: Eyes: Ingestion: MOST IMPORTANT SYN	eek medical attention. Never give anything by mouth t Symptoms and effects, acute and delayed It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use.	Description of first-aid measures Should there be any symptoms, transfer the person affected to the open air. Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners. Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician. If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the		

Revision: 23/11/2021 Page 3/10

In case offer in the surroundings, all extinguishing agents are allowed. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE COR MIXTURE: As consequence of combustion or thermal decomposition, Inzardous products may be produced: carbon monoxide, carbon dioxide. Exposure to combustion or thermal decomposition, Inzardous products may be produced: carbon monoxide, carbon dioxide. Special indicative equipment: Depending on magnitude offic, heat-proof protective dothing may be required, appropriate independent on their guesed, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection or the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. CITON 6 : ACCIDENTIAL RELEASE MEASURES PERSONAL PRECAUTIONS: PERSONAL PRECAUTIONS: Avoid direct contact with this product. ENVIRONMENTAL PRECAUTIONS: Avoid direct contact with this product. ENVIRONMENTAL PRECAUTIONS: Contamination of dains, surb ac or subteranean water and soil. In the case of large scale spills or when the product contamination of dains, surb ac or subteranean water and soil. In the case of large scale spills or when the product contamination of dains, surb ac or subteranean water and soil. In the case of large scale spills or when the product contamination of dains, surb ac or subteranean water and soil. In the case of large scale spills or when the product contamination of dains, surb ac or subteranean water and soil. In the case of large scale spills or when the product contamination of dain flag. Sec. Sec. 11. Fo		EUCE NEUCECRIL ACETINADO BRANCO/B1 Code: 07.01.04.04 Code: 07.01.04.04
In case offer in the surroundings, all extinguishing agents are allowed. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products may be a hazard to health. Special notification carbon and decomposition products may be a hazard to health. Special notification carbon and begins on the and allowed offer, heat-proof protective dothing may be required, appropriate indeper breathing apparents, gloves, protective glosses or face masks and bots. The free-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents. Collectrat RelEASE MEASURES PERSONAL PRECATIONS: Avoid direct contact with this product. ENTON 6 : ACCIDENTIAL RELEASE MEASURES PERSONAL PRECATIONS: Avoid contact with this product. ENTON 6 : ACCIDENTIAL RELEASE MEASURES PERSONAL PRECATIONS: Avoid contact with this product. ENTON 6 : ACCIDENTIAL RECATIONS: Avoid contact with this product. METHODS AND MARENIAL PRECATIONS: METHODS AND MARENIAL PRECATIONS: For contact information in class of new subternanean water and soil. In the case of large scale spills or when the product contamination of data in surfa eo resulternanean water and soil. In the case of large scale spills or when the product contamination of allowing surface actions (sead data). METHODS AND MARENIAL PRECATIONS: For contact information in case of energency, see section 1. For roomation on safe handing, see section 1. For		N 5 : FIRE-FIGHTING MEASURES
2 SPECIAL HAZAROS ARISING FROM THE SUBSTANCEOR MIXTURE: As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products may be a hazard to health. 3 ADVICE FOR FIGE/FIGHTEDS: Decoding used, comparing the form a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection or to being used, combat free from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection or the wind. Do not allow fire-fighting residue to enter drains, severs or water courses. CTUON 5: ACCIDENTAL RELEASE MEASURES 1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES; Avoid direct contact with this product. 2 ENVIRONMENTIA PRECAUTIONS: Avoid contamination of dams, surfa eor subteranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations. 3 METHOCS AND MATERIAL ROR CONTAINMENT AND CLAINIG UP: Contain and mop up spills with absorbent materials (sawdust, earth, sand, verniculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closed containe: 1 REFERENCE TO OTHER SECTIONS: Comply with the existing legislation on health and safety at work. Centeral information in case of demengency, see section 1. For contaxi information in case of demengency, see section 1. For contaxi information in case of demengency, see section 1. For contaxi information on safe langing, see section 7. For resposure contaxis and personal protection massis, see section 1. For info		EXTINGUISHING MEDIA: In case of fire in the surroundings, all extinguishing agents are allowed.
As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products may be a hazard to health. Adv/CE FOR FIREFIGHTERS: Secial protective equipments. Depending on magnitude offire, heat-proof protective dothing may be required, appropriate indepents in not available or is not being used, combat fire from a sheltered position or from a sale distance. The standard EN469 provides a basic level of protection of the wind. Do not allow fire fighting residue to enter drains, severs or water courses. EXECTION 51 ACCIDENTAL RELEASE MEASURES EN400 Mile - fighting residue to enter drains, severs or water courses. EXECTION 51 ACCIDENTAL RELEASE MEASURES ENVIRONMENTAL RELEASE MEASURES 1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:. Avoid direct contact with this product. 2 ENVIRONMENTAL RELEASE MEASURES 1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:. Avoid direct contact with this product. 2 ENVIRONMENTAL RELEASE MEASURES 1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND CLEANING UP: Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a dosed containe 4 REFERENCE TO OTHER SECTIONS: Por contact information in case of emergency, see section 1. For rinformation on safe handing, see section 7. For exposure control		
Special protective equipment: Depending on magnitude offine, heat-proof protective dothing may be required, appropriate independent to not valiable or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents. Other recommendations: Col with water the tanks, cistems or containers close to sources of heat or fire. Bear in mind the direction o the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. SECTION 6 : ACCIDENTAL RELEASE MEASURES Image: Contact with this product. 2 ENVIRONMENTAL RECAUTIONS: Avoid direct contact with this product. 2 ENVIRONMENTAL RECAUTIONS: Avoid direct contact with this product. 3 METHODS AND MATERIA. RECAUTIONS: Avoid direct contact with the product. 4 REFERENCE TO OTHER SECTIONS: Contain and mop up splits with absorber materials (sandust, earth, sand, verniculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closed container. 4 REFERENCE TO OTHER SECTIONS: For contact information in case of energency, see section 1. For information on safe handling, see section 7. For explose controls and personal protection measures, see section 8. For vaste disposal, follow the recommendations in section 13. 5 CONDITIONS FOR SAFE HANDLING: For contact information in case of energency, see section 1. For vaste disposal, follow the recommendations in section 13. 6 PREFERENCE TO OTHER SECTIONS: For vaste disposal, follow the recommendati	7	As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide.
breathing apparatus, gloves, protective glasses or foce masks and boots. If the fire-proof protective equipment is not available or is not being used, combattered position or form a safe distance. The standard EN469 provides a basic level of protection for chemical incidents. Other recommendations: Coll with water the tanks, cistems or containers close to sources of heat or fire. Bear in mind the direction o the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. CTUCN 5 : ACCIDENTAL RELEASE MEASURES CTUCN 5 : ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS, PROTECTIVE EOUIPMENT AND EMERGENCY PROCEDURES: Avoid direct contact with this product. 2: ENVIRONMENTAL RELEASE MEASURES 2: ENVIRONMENTAL RECAUTIONS: Avoid direct contact with this product. 3: METHODS: Avoid contamination of da his, sure de or subteranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations. 3: METHODS: Avoid contamination of da his, sure de or subteranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations. 4: METHODS: Avoid contamination on case of emergency, see section 1. For information on scale handling, see section 7. For contact information in actioned of measures, see section 8. For waste disposal, follow the recommendations in section 13. CTUCN 7 : HANDLING AND STORAGE <td></td> <td></td>		
the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. the wind. Do not allow fire-fighting residue to enter drains. the contamination of drains, service or subteranean water and soil. In the case of large scale spills or when the product contamination of line and mop up spills with absorbent materials (sewdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closed container. the REFERCE TO OTHER SECTIONS: For contamination for the prevention of the container of the prevention of the container to the container. the remains and prosenal protection measures, see section 8. For waste disposal, follow the recommendations in section 13. CC		breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: Avoid direct contact with this product. ENVIRONMENTAL RECAUTIONS: Avoid contaminates lakes, nivers or sewages, inform the appropriate authorities in accordance with local regulations. METHODS AND MATERIAL ROLCOUNTAINMENT AND CLEANING UP: Contain and mop up spills with absorbert materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closent on the appropriate authorities in accordance REFERENCE TO OTHER SECTIONS: For contact information in case of emergency, see section 1. For information on safe handling, see section 7. For exposure controls and personal protection measures, see section 8. For wasted disposal, follow the recommendations in section 13. ECTION 7 : HANDLING AND STORAGE 1 PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations: Avoid any type of leakage or escape. Keep the container tip thy cb sed. Recommendations for the prevention offits and explosion insks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. The context of the prevention of toxicological insks: Do not eat, drink or snoke in application and drying areas. After handling, wash hands with scop and water. For exposure controls an personal protection measures, see section 8. Recommendations for the prevention of toxicological insks: Do not		
Avoid direct contact with this product. 2 ENVIRONMENTAL RECAUTIONS:. Avoid contamination of dains, sur 6 œ or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations. 3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closed container. 4 REFERENCE TO OTHER SECTIONS: For contact information in case of emergency, see section 1. For information on sale heanding, see section 7. For exposure controls and personal protection measures, see section 8. For waste disposal, follow the recommendations in section 13. ECTION 7 : HANDLING AND STORAGE 1 PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations: Avoid any type of leakage or escape. Keep the container tbjtly cb sed. Recommendations for the prevention of fire and explosion fisks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with scoap and water. Fo rexposure controls an personal protection measures, see section 8. Recommendations for the prevention of oxicological risks: Do not eat, drink or smoke in app	ΕCTIO	N 6 : ACCIDENTAL RELEASE MEASURES
Avoid contamination of deins, sur 6 e or subteranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations. 3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closed container. 4 REFERENCE TO OTHER SECTIONS: For exposure controls and personal protection neasures, see section 1. For information on safe handling, see section 7. For exposure controls and personal protection measures, see section 8. For waste disposal, follow the recommendations in section 13. ECTON 7 : HANDLING AND STORAGE 1 RECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations. Avoid any type of leakage or escape. Keep the container tightly cb sed. Recommendations for the prevention of fire and explosion risks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in prevention of toxicological risks: Becommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection wave in eavioronment.		
 METHODS AND MATERIAL OR CONTAINMENT AND CLEANING UP:: Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closed container REFERENCE TO OTHER SECTIONS: For contact information in case of emergency, see section 1. For contact information in case of emergency, see section 1. For contact information and personal protection measures, see section 8. For waste disposal, follow the recommendations in section 13. ECTION 7 : HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations: Recommendations for the prevention of fine and explosion risks: The product is not liable to ignite, deflagrate or explose, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls an personal protection measures, see section 8. Recommendations for the prevention of environment. In the case of accidental spillage, follow the instructions indicated in section 6. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of read of of bid ren. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be dosed carefully and placed in a vertical position. Gass of storage Maximum storage period I contact with sunlight. To moder to avoid leakages, the containers, after use, should be dosed carefully and placed in a vertical position. Maximum storage period I compareducining;<!--</td--><td></td><td>Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product</td>		Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product
Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closed container. 44 REFRENCE TO OTHER SECTIONS: For contact information in case of femergency, see section 1. For information on safe handling, see section 7. For exposure controls and personal protection measures, see section 8. For waste disposal, follow the recommendations in section 13. ECTION 7 : HANDLING AND STORAGE 1 PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations: Avoid any type of leakage or escape. Keep the container tightly cb sed. Recommendations for the prevention office and explosion risks: The product is not liable to ignite, deflagrate or exploide, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of foxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. Fo rexposure controls and personal protection measures, see section 8. Recommendations for the envention of environment. In the case of accidental spillage, follow the instructions indicated in section 6. .2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBLITTES: Forbid the entry to unauthorized persons. Ke ep out of read of children. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. Class of storage		
For contact information in case of emergency, see section 1. For information on safe handling, see section 7. For exposure controls and personal protection measures, see section 8. For waste disposal, follow the recommendations in section 13. ECTION 7 : HANDLING AND STORAGE .1 PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations: Avoid any type of leakage or escape. Keep the container tightly cb sed. Recommendations for the prevention of fire and explosion risks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. Recommendations for the prevention of environment. In the case of accidental spillage, follow the instructions indicated in section 6. .2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of rea do of child ren. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be dosed carefully and placed in a vertical position. For more information, see section 10. .2.4 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of rea do o		Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of
For information on safe handling, see section 7. For exposure controls and personal protection measures, see section 8. For waste disposal, follow the recommendations in section 13. ECTION 7: HANDLING AND STORAGE 1.1 PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations: Avoid any type of leakage or escape. Keep the container tightly cb sed. Recommendations for the prevention of fire and explosion risks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. Recommendations for the prevention of environmental contamination: # It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6. .2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of rea dn of child ren. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. Cass of storage : According to current legislation. Maximum storage period : 24. months		
For waste disposal, follow the recommendations in section 13. SECTION 7 : HANDLING AND STORAGE *:1 PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations: Avoid any type of leakage or escape. Keep the container tightly cb sed. Recommendations for the prevention of fire and explosion risks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. Recommendations for the prevention of environment. In the case of accidental spillage, follow the instructions indicated in section 6. *2.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep o u of rea dr of children. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. Formore information, see section 10. Class of storage : According to current legislation. Maximum storage period : 24. months Temperature interval : min: 5. °C, max: 35. °C (recommended). Incompatible materials: Keep away from oxidiking agents, from strongly alkaline and strongly acid materials. Type of packaging:		For information on safe handling, see section 7.
11 PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations: Avoid any type of leakage or escape. Keep the container tightly cb sed. Recommendations for the prevention of fire and explosion risks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. Recommendations for the prevention of environmental contamination: # It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6. 2.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of read of child ren. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. Class of storage : According to current legislation. : 24. months Maximum storage period Iemperature interval Incompatible materials: Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. Type of packading: :		
Comply with the existing legislation on health and safety at work. General recommendations: Avoid any type of leakage or escape. Keep the container tig htly cb sed. Recommendations for the prevention of fire and explosion risks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. Fo rexposure controls and personal protection measures, see section 8. Recommendations for the prevention of environmental contamination: # It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6. 20 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of rea dn of child ren. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10.	стю	N 7 : HANDLING AND STORAGE
General recommendations: Avoid any type of leakage or escape. Keep the container tig htly cb sed. Recommendations for the prevention of fire and explosion risks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. Recommendations for the prevention of environmental contamination: # It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6. 2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of rea dh of child ren. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. Formore information, see section 10. Class of storage Maximum storage period Maximum storage period Maximum storage period Emperature interval Incompatible materials: Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. Type of p		
Recommendations for the prevention of fire and explosion risks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. Recommendations for the prevention of environmental contamination: # It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of rea dn of child ren. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. Class of storage : According to current legislation. Maximum storage period : 24. months Temperature interval : min: 5. %C, max: 35. %C (recommended). Incompatible materials: Keep away from oxidixing agents, from strongly alkaline and strongly acid materials.	9	General recommendations:
 The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls are personal protection measures, see section 8. Recommendations for the prevention of environmental contamination:		
 Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. Recommendations for the prevention of environmental contamination: # It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of rea dn of child ren. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. Class of storage According to current legislation. Maximum storage period 24. months Temperature interval min: 5. °C, max: 35. °C (recommended). Incompatible materials: Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. Type of packaging: 		The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres.
Recommendations for the prevention of environmental contamination: # It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6. 2.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of rea dh of child ren. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. Class of storage : According to current legislation. Maximum storage period : 24. months Temperature interval : min: 5. °C, max: 35. °C (recommended). Incompatible materials: Keep away from strongly alkaline and strongly acid materials. Type of packaging: Type of packaging:	1	Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and
 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of reach of children. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. Cass of storage Maximum storage period Z4. months Temperature interval Incompatible materials: Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. 		Recommendations for the prevention of environmental contamination:
Forbid the entry to unauthorized persons. Keep out of rea ch of child ren. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. Class of storage According to current legislation. 24. months Temperature interval min: 5. °C, max: 35. °C (recommended). Incompatible materials: Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. Type of packaging: Type of packaging:		
Class of storage : According to current legislation. Maximum storage period : 24. months Temperature interval : min: 5. °C, max: 35. °C (recommended). Incompatible materials: Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. Type of packaging: Type of packaging:	Ī	Forbid the entry to unauthorized persons. Keep out of reach of child ren. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position.
Temperature interval : min: 5. °C, max: 35. °C (recommended). Incompatible materials: Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. Type of packaging: Type of packaging:	0	Class of storage : According to current legislation.
Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. Type of packaging:		Temperature interval : min: 5. °C, max: 35. °C (recommended).
<u>Type of packaging:</u>	1	Keep away from oxidixing agents, from strongly alkaline and strongly acid materials.
According to current legislation.		According to current legislation.
Limit quantity (Seveso III): Directive 2012/18/EU: Not applicable (product for non industrial use).	 	Limit quantity (Seveso III): Directive 2012/18/EU: Not applicable (product for non industrial use)
3 <u>SPECIFIC END USES:</u> For the use of this product particular recommendations apart from that already indicated are not available.		

	Code: 07.01.04.04	BRANCO/B1						
(ON 8 : EXPO	SURE CONTROLS/PERSONAL	PROTECTION						
determine th Reference sh chemical age methods for	RAMETERS: contains ingredients with exposu- ne effectiveness of the ventilation nould be made to EN689, EN140 ents, and exposure to chemical a the determination of dangerous	n or other control mea 42 and EN482 standa and biological agents. substances.	asures and/or the ne rd concerning metho	cessity to u	use respiratory pro esing the exposure	tective eque	tion to	
AGCIH 2020			ear <u>TLV-TWA</u>		TLV-STEL		Remarks	
Mixture CIT F	EC 247-500-7 MIT EC 220-239-6	5(3:1)		g/m3 0.080	ppm mg/r - C		Recommende	d
Derived no-e included in R recommende	e <u>- EFFECT LEVEL (DNEL) :</u> effect level (DNEL) is a level of ex EACH. DNEL values may differ fro ed by a particular company, a go e OEL values are derived by a pro	om a occupational exp overnment regulatory	posure limit (OEL) fo agency or an organ	r the same	chemical. OEL val	ues may c	ome	
Derived no-e	effect level, workers: effects, acute and chronic:		DNEL Inhalation mg/m3		DNEL Cutaneous	r	DNEL Oral mg/kg bw/d	
Mixture CIT E	EC 247-500-7 MIT EC 220-239-6	5(3:1)	- (a)	- (c)	- (a)	- (c)	- (a)	-
	effect level, workers:		DNEL Inhalatic mg/m3	<u>on</u>	DNEL Cutaneous		<u>DNEL Eyes</u> mg/cm2	
- Local effect	<mark>ts, acute and chronic:</mark> EC 247-500-7 MIT EC 220-239-6	5(3:1)	- (a)	- (c)	- (a)	- (c)	- (a)	-
- Local effect Mixture CIT E Derived no-e - Systemice							- (a) DNEL Oral mg/kg bw/d - (a)	-
- Local effect Mixture CIT E <u>Derived no-e</u> - Systemice Mixture CIT E Derived no-e - Local effect	EC 247-500-7 MIT EC 220-239-6 effect level, general population: effects, acute and chronic:	5(3:1)	- (a) DNEL Inhalatic mg/m3	<u>on</u> - (c)	- (a) <u>DNEL Cutaneous</u> mg/kg bw/d	- (c)	DNEL Oral mg/kg bw/d	
- Local effect Mixture CIT E Derived no-e - Systemic e Mixture CIT E Derived no-e - Local effect Mixture CIT E (-) - DNEL no	EC 247-500-7 MIT EC 220-239-6 effect level, general population: effects, acute and chronic: EC 247-500-7 MIT EC 220-239-6 effect level, general population: ts, acute and chronic:	5 (3:1) 5 (3:1) istration REACH).	(a) <u>DNEL Inhalatio</u> mg/m3 (a) <u>DNEL Inhalatio</u> mg/m3	<u>n</u> - (c)	- (a) <u>DNEL Cutaneous</u> mg/kg bw/d - (a) <u>DNEL Cutaneous</u> mg/cm2	- (c)	DNEL Oral mg/kg bw/d - (a) DNEL Eyes mg/cm2	-
Local effect Mixture CIT E Derived no-e - Systemice Mixture CIT E Derived no-e - Local effect Mixture CIT E (-) - DNEL no <u>PREDICTED N</u> <u>Predicted no</u> - Fresh wate	EC 247-500-7 MIT EC 220-239-6 effect level, general population: effects, acute and chronic: EC 247-500-7 MIT EC 220-239-6 effect level, general population: ts, acute and chronic: EC 247-500-7 MIT EC 220-239-6 ot available (without data of reg	5 (3:1) 5 (3:1) istration REACH). <u>VEC):</u> ganisms: t release:	(a) <u>DNEL Inhalatio</u> mg/m3 (a) <u>DNEL Inhalatio</u> mg/m3	- (c)	- (a) <u>DNEL Cutaneous</u> mg/kg bw/d - (a) <u>DNEL Cutaneous</u> mg/cm2	- (c)	DNEL Oral mg/kg bw/d - (a) DNEL Eyes mg/cm2	-
Local effect Mixture CIT E Derived no-e - Systemice Mixture CIT E Derived no-e - Local effect Mixture CIT E (-) - DNEL no <u>PREDICTED N</u> <u>Predicted no</u> - Fresh wate Mixture CIT E - Waste wate fresh- and m	EC 247-500-7 MIT EC 220-239-6 effect level, general population: effects, acute and chronic: EC 247-500-7 MIT EC 220-239-6 effect level, general population: ts, acute and chronic: EC 247-500-7 MIT EC 220-239-6 ot available (without data of reg <u>NO-EFFECT CONCENTRATION (Preffect concentration, aquatic or</u> er, marine water and intermitten	5 (3:1) 5 (3:1) istration REACH). <u>NEC):</u> ganisms: t release: 5 (3:1) ediments in	- (a) <u>DNEL Inhalatio</u> mg/m3 - (a) <u>DNEL Inhalatio</u> mg/m3 - (a) <u>PNEC Fresh wa</u>	- (c)	- (a) <u>DNEL Cutaneous</u> mg/kg bw/d - (a) <u>DNEL Cutaneous</u> mg/cm2 - (a) <u>PNEC Marine</u>	- (c)	DNEL Oral mg/kg bw/d - (a) DNEL Eyes mg/cm2 - (a) PNEC Intermit	- - tent -

O FUTURO DA TINTA	NEUCECRIL ACETINADO BRANCO/B1 Code: 07.01.04.04
3.2 <u>EXPOSURE</u>	CONTROLS:
ENGINEERI	NG MEASURES:
Consider Consider	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.
Protection of Protection of creams ma OCCUPATIC As a genera	of respiratory system: of eyes and face: It is recommended to install water taps or sources with clean water close to the working area. be hands and skin: It is recommended to install water taps or sources with clean water close to the working area. Barrier y help to protect the exposed areas of the skin. Barrier creams should not be applied once exposure has occurred. INAL EXPOSURE CONTROLS: Regulation (EU) No. 2016/425: Il measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance,
type and ch	aracteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative provided by the manufacturers of PPE.
Mask:	# No, unless ventilation is insufficient.
Safety gogg	Safety goggles with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.
Face shield	<u>.</u> No.
Gloves:	Gloves resistant against chemicals (EN374). When repeated or prolonged contact with the product is expected, gloves of protection level 5 or higher should be used, with a breakthrough time of > 240 min. When short contact with the product is expected, use gloves with a protection level 2 or higher should be used, with a breakthrough time > 30 min. The breakthrough time of the selected glove material should be in accordance with the pretended period of use. There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should be taken into account. The gloves should be immediately replaced when any sign of degradation is noted.
Boots:	No.
Apron:	No.
Clothing:	No.
ENVIRONM Avoid any s Spills on the Spills in wat - Water Ma policy unde	zards: ble (the product is handled at room temperature). ENTAL EXPOSURE CONTROLS: spillage in the environment. a soil: Prevent contamination of soil. ter: Do not allow to escape into drains, sewers or water courses. n agement Act: This product does not contain any substance included in the list of priority substances in the field of water or Directive 2000/60/EC~2013/39/EU. o the atmosphere: Not applicable.

51	IEUCE	NEUCECRIL ACETINADO BRANCO/B1 Code: 07.01.04.04					
SECTIO	ON 9 : PHYSI	CAL AND CHEMICAL PROPERTIES					4
9.1		ION BASIC PHYSICAL AND CHEMICAL PROPERTIES:					
	<u>Appearance</u> - Physical sta - Colour - Odour	te		Dense liquid. Diverse. Characteristic.			
	<u>pH-value</u> - pH			8. ± 1.	at 20°C		
	<u>Change of sta</u> - Initial boilin	<u>te</u> g point		> 100*	°C at 760 mmHg		
	<u>Density</u> - Relative der	nsity	:	1.25 ± 0.1	# at 20/4°C	Relativ	ve water
	<u>Stability</u> <u>Viscosity:</u> - Kinematic v	iscosity	:	Not applicable			
	<u>Volatility:</u> - Evaporation - Vapourpres	sure	:	40.5* Not applicable	nBuAc=100 25°C	Relativ	e
	Solubility (ies) - Solubility in - Partition co	l water: efficient: n-octanol/water	:	Miscible. Not applicable (mix	kture).		
	Flammability: - Flash point		:	Não inflamável	oC		
	- Autoignition	er flammability or explosive limits I temperature	-	Not available Not applicable (do i	not sustain combustion).		
	Explosive pro Not available						
	Oxidizing prop Not classified	p <u>erties:</u> as oxidizing product.					
	*Estimated v	alues based on the substances composing the mixtu	ıre.				
9.2	OTHER INFOR			<u> </u>	Kcal/kg		
	 Solids VOC (supply 		÷		% Weight		
	The values in corresponding	dicated do not always coincide with product specifica g technical data sheet. For additional information cor see sections 7 and 12.		s. The data for the pr	oduct specifications can be f		
SECTIO	ON 10 : STAB	LITY AND REACTIVITY					
10.1		metals: It is not corrosive to metals. properties: It is not pyrophoric.					
10.2	CHEMICAL ST/ Stable under	ABILITY: recommended storage and handling conditions.					
10.3		DF HAZARDOUS REACTIONS: perous reaction with oxidizing agents, acids.					
10.4	CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: The product is not affected by exposure to air, but should not be left the containers open. Pressure: Not relevant. Shock: The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.						jh ing and
10.5		<u>E MATERIALS:</u> om oxidixing agents, from strongly alkaline and stro	ngly	acid materials.			
10.6		DECOMPOSITION PRODUCTS: ace of thermal decomposition, hazardous products m	nay b	e produced: carbon	monoxide.		

SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

NEUCE		NADO BRANCO/B1						
	Code: 07.01.04.04							
	COLOGICAL INFORM		- 1					
the convention	cological data on the pre al calculation method of NONTOXICOLOGICAL EF	the Regulation (EU) N			se mixture hasbæn carrie	dout by		
ACUTE TOXIC								
Dose and let	hal concentrations ingredients : 22 247-500-7 MIT EC 22	220-6/3.1)		LD50 (OECD 401) mg/kg bw oral 75. Rat	LD50 (OECD 402) mg/kg bw cutaneous 140. Rat	LC50 (OF mg/m3·4h inl > 1230.		
		5-239-0 (3.1)					Nat	
for individual	acute toxicity (ATE) ingredients : C 247-500-7 MIT EC 22	0-239-6(3:1)		ATE mg/kg bw oral 75.	ATE mg/kg bw cutaneous 140.	ATE mg/m3·4h inl 1230		
route are ign <u>No observed</u> Not available <u>Lowest obser</u> Not available	ored. <u>adverse effect level</u> e ved adverse effect leve	-		ne upper threshold of cate	gory 4 for the corresponding	g exposure		
Routes of exp		Acute toxicity	Cat.	Main effects, acute and/	ordolavod		Criteria	
Inhalation: Not classified		ATE > 20000 mg/m3	-	Not classified as a produ	ict with acute toxicity if inha a, the classification criteria		GHS/CLP 3.1.3.6.	
Skin: Not classified		ATE > 2000 mg/kg bw	-		ict with acute toxicity in cor ilable data, the classificatio		GHS/CLF 3.1.3.6.	
Eyes: Not classified		Not available	-	Not classified as a produ contact (lack of data).	ict with acute toxicity by ey	/e	GHS/CLP 1.2.5.	
Ingestion: Not classified		ATE > 20 00 mg/kg bw	-		ict with acute toxicity if swa a, the classification criteria		GHS/CLP 3.1.3.6.	
GHS/CLP 3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula).								
Danger dass		Target organs	Cat.	Main effects, acute and/	ordelayed		Criteria	
Respiratory c Not classified	o rro sion/irrita tio n:	-	-		ict corrosive or irritant by ailable data, the classificati	ion	GHS/CLF 1.2.6. 3.8.3.4.	
Skin corrosio Not classified		-	-		ict corrosive or irritant in co ilable data, the classificatio		GHS/CLP 3.2.3.3.	
Serious eye of Not classified	damage/irritation:	-	-		ict corrosive or irritant in co ailable data, the classificati		GHS/CLP 3.3.3.3.	
Respiratory s Not classified		-	-	Not classified as a produ (based on available dat not met).	ict sensitising by inhalation a, the classification criteria	are	GHS/CLP 3.4.3.3.	
			1		ict sensitising by skin conta			

GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components.

ASPIRATION HAZARD:

Danger dass	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
<u>Aspiration hazard:</u> Not classified	-	-	Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).	GHS/CLP 3.10.3.3.

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.

	IEUCE UTURO DA TINTA	NEUCECRIL ACETINADO BR Code: 07.01.04.04	RANCO/B1							
	Genotoxicity: Toxicity for re	<u>effects:</u> It is not considered as a It is not considered as a mutager production: Does not harm fertili cation: Not classified as a hazard	hic product. ty. Does not harm the ι	inborn child. n breast-fed.						
	DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: Routes of exposure: Not available. Short-term exposure: Not available. Long-term or repeated exposure: Not available.									
	INTERACTIVE EFFECTS: Not available.									
	Dermal absor	ABOUT TOXICOCINETICS, METAE ption: Not available. netics: Not available.	OLISM AND DISTRIBUT	ION:						
	ADDITIONAL I Not available	INFORMATION:								
ECTI	ON 12 : ECOL	OGICAL INFORMATION								
		oxicological data on the preparati ne conventional calculation metho				asbæn				
2.1	TOXICITY:			<u>, </u>						
	for individual i	<u>in aquatic environment</u> ngredients : C 247-500-7 MIT EC 220-239-6 (:	3:1)	LC50 (OECD 203) mg/l-96hours 0.19 Fishes	EC50 (OECD 202) mg/l·48hours 0.16 Daphnia	EC50 (O mg/I-72hours 0.005				
		effect concentration		NOEC (OECD 210)	NOEC (OECD 211)	NOEC (O	ECD 201)			
	Mixture CIT E	C 247-500-7 MIT EC 220-239-6 (3	3:1)	mg/I·28days 0.020 Fishes	mg/l·21days 0.011 Daphnia	mg/I·72hours 0.00049				
	Lowest observed effect concentration Not available									
	ASSESSMENT OF AQUATIC TOXICITY:									
	Aquatic toxicity Cat.		Main hazards to the aqu	uatic environment		Criteria				
	Acute aquatic Not classified	toxicity:	-	Not classified as a hazardous product with acute toxicity to aquatic life (based on available data, the classification criteria are not met).			GHS/CLP 4.1.3.5.5.3			
	Chronic aquat Not classified	Chronic aquatic toxicity: - Not classified			Not classified as a dangerous product with chronicGHStoxicity to aquatic life with long lasting effects (based on available data, the classification criteria are not met).4.1.					
		Classification of a mixture for acute ha: Classification of a mixture for chronic (omponents.					
2.2	PERSISTENCE AND DEGRADABILITY: Not available.									
	Aerobic biode			DQO	<u>%DBO/DQO</u>	Biodegrada	ability			
	for individual ingredients : Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)			mgO2/g	5 days 14 days 28 days 55.	Not easy				
	Note: Biodeg	radability data correspond to an a	verage of data from va	rious bibliographic source	s.					
2.3	BIOACCUMULATIVE POTENTIAL: Not available.									
	Bioaccumulat	ion		log Pow	BCF	Potential				
	for individual i Mixture CIT E	ingredients : C 247-500-7 MIT EC 220-239-6 (.	3:1)	0.750	L/kg 3.2 (calculated)	Unlikely, lo	w			
2.4	MOBILITY IN S Not available					1				
	<u>Mobility</u> for individual i Mixture CIT E	ngredients : C 247-500-7 MIT EC 220-239-6 (:	3:1)	<u>log Poc</u> 0.450	Constant of Henry Pa·m3/mol 20°C	<u>Potential</u> Unlikely, lo	w			
2.5		BT AND VPVB ASSESMENT: Ann tain substances that fulfil the PBT/		C) no. 1907/2006:						
2.6	OTHER ADVER Ozone depleti Photochemica Earth global w									

	IEUCE	NEUCECRIL ACETINADO BRANCO/B1 Code: 07.01.04.04
SECTIO	ON 13 : DISP	OSAL CONSIDERATIONS
13.1	Take all neces recycling. Do and disposed section 8. <u>Disposal of en</u> Emptied cont packaging as classification, contaminated Procedures fo	<u>MENT METHODS</u> : Directive 2008/98/EC~Regulation (EU) no. 1357/2014: ssary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or not discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be handled in accordance with current local and national regulations. For exposure controls and personal protection measures, see <u>npty containers</u> : Directive 94/62/EC~2015/720/EU, Decision 2000/532/EC~2014/955/EU: aniers and packaging should be disposed in accordance with currently local and national regulations. The classification of hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With d containers and packaging, adopt the same measures as for the product in itself. <u>r neutralising or destroying the product</u> : ndfill in accordance with local regulations.
SECTIO		SPORT INFORMATION
14.1		Not applicable
14.1		
		HIPPING NAME: Not applicable
14.3	<u>Transport by r</u> <u>Transport by r</u> Not regulated	AZARD CLASS(ES): road (ADR 2021) and rail (RID 2021): sea (IMDG 39-18):
	Not regulated	air (ICAO/IATA 2021) :
	Transport by i Not regulated	inland waterways (ADN):
14.4	PACKING GRC Not regulated	
14.5		ITAL HAZARDS: ble (not classified as hazardous for the environment).
14.6		AUTIONS FOR USER: ersons transporting the product know what to do in case of accident or spill. Always transport in closed containers that nd secure.
14.7	TRANSPORT I Not applicable	N BULK ACCORDING TO ANNEX II OF MARP OL 73/78 AN D THE IBC CODE:
SECTIO	ON 15 : REGU	ILATORY INFORMATION
15.1	EU SAFETY, HI The regulation	EALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: ns applicable to this product generally are listed throughout this Safety Data Sheet.
	Restrictions of	n manufacture, placing on market and use: See section 1.2
	Tactile warnin	g of danger: Not applicable (the classification criteria are not met).
	Child safety p	rotection: Not applicable (the classification criteria are not met).
		ion on the label: Cmax. 16. g/l - The limit value 2004/42/CE-IIA cat. c) for the product ready for use is VOC max. 40. g/l (2010).
	OTHER REGUL	LATIONS:
	Control of the	risks inherent in major accidents (Seveso III): See section 7.2
	Other local leg	g <u>islations:</u> should verify the possible existence of local regulations applicable to the chemical.
15.2	CHEMICAL SA	FETY ASSESSMENT: fety assessment has not been carried out for this mixture.

	TURO DA TINTA	NEUCECRIL ACETINADO BRANCO/B1 Code: 07.01.04.04	
SECTIO	DN 16 : OTHER		
	TEXT OF THE PH	HRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3:	
	Hazard stateme H301 Toxic if sw skin reaction. H with long lasting Notes related to Note B : Some s	ients according the Regulation (EU) No. 1272/2008~2020/1182 (CLP), Annex III: wallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an a H318 Causes serious eye damage. H330 Fatal if in haled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic Ing effects. EUH071 Corrosive to the respiratory tract. So the identification, classification and labelling of the substances: substances are placed on the market in aqueous solutions at various concentrations and these solutions require ication and labelling since the hazards vary at different concentrations.	
	EVALUATION OF	FTHE INFORMATION ON THE DANGER OF MIXTURES: See sections 9.1, 11.1 and 12.1.	
	It is recommen	<u>NY TRAINING APPROPRIATE FOR WORKERS:</u> nded for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in orde standing and interpretation of Safety Data Sheets and labelling of products as well.	erto
	European Che Access to Euro	JRE REFERE NCES AN D SOURCES FOR DATA: emicals Agency: ECHA, http://echa.europa.eu/ opean Union Law, http://eur-lex.europa.eu/ nit Values, (AGCIH, 2018).	
	List of abbreviat REACH: Regult GHS: Globally CLP: Europear EINECS: Europ ELINCS: Europ CAS: Chemica UVCB: Substar SVHC: Substar PBT: Persisten VPVB: Very pe DNEL: Derivect PNEC: Predicto LC50: Lethal c UN: United Na ADR: Europea RID: Regulatic IMDG: Internat IATA: Internat SAFETY DATA SI Safety Data Sho	SAND ACRONMS: ations and acronyms that can be used (but not necessarily used) in this Safety Data Sheet: lation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. y Harmonized System of Classification and Labelling of Chemicals of the United Nations. n regularion on Classificatin, Labelling amd Packaging of substances and chemical mixtures. pean Inventory of Existing Commercial Chemical Substances. pean List of Notified Chemical Substances. al Abstracts Service (Division of the American Chemical Society). ances of Unknown or Variable composition, complex reaction products or biological materials. ances of Very High Concern. nt, bioaccumulable and toxic substances. ersistent and very bioa ccum ulable substances. and softeer (REACH). dose, 50 percent. concentration, 50 percent. ations Organisation. an agreement concerning the international carriage of dangeous goods by road. ons concerning the international transport of dan ge ous g oo ds by rail. ational Air Transport Association. ational Air Transport Association. ational Civil Aviation Organization. BHEET REGULATIONS: meet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No .	
	2015/830. <u>HISTORIC:</u> Version: 9	Revision: 11/05/2020	
	Version: 10	23/11/2021	
	#Legislative, o	previous Safety Data Sheet: contextual, numerical, methodological and normative changes since the previous version of the present Safety Da tified by a red-italic hash (#).	ta
working obtainir down ir	g conditions are l ng written handli n the local rules a	Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' beyond our knowledge and control. The product is not to be used for other purposes than those specified, without ling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand lai and legislation. The information in this Safety Data Sheet is meant as a description of the safety requirements of th be considered as a guarantee of the product's properties.	d