| NEUCE O FUTURO DA TINTA | NEUCECRIL- Rev. Elástico Mate Base 2 Code: 07.01.06.05 | |
|--|--|---------------|
| Version: 1 Dat | e of compilation: 23/11/2021 Date of printing | ı: 23/11/2021 |
| SECTION 1 : IDENT | IFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING | |
| 1.1 PRODUCT IDI | INTIFIER: NEUCECRIL- Rev. Elástico Mate Base 2 Code: 07.01.06.05 | |
| Intended use Coating for e Sectors of use Professional Consumer us Uses advised None. As the consistent w | ises (SU22). es (SU21). <u>against:</u> re is not classified as dangerous, this product can be used in ways other than the identified uses, but all uses have to b th the safety guidelines provided. n manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006: | |
| 1.3 <u>DETAILS OF T</u> NEUCE - Indu Rua Francisco Phone: +351 | HE SUPPLIER OF THE SAFETY DATA SHEET: stria de Tintas, S.A. Rocha - Aptdo. 4514 - 3700-892 - Romariz SJM (Portugal) 256 840040 - Fax: +351 256 840049 so of the person responsible for the Safety Data Sheet: | |
| 1.4 <u>EMERGENCY</u> | TELEPHONE NUMBER: +351 256 840041 (9:00-18:30 h.) (working hours) | |
| SECTION 2 : HAZAF | DS IDENTIFICATION | |
| This product Note: When concentration Note: This pr or under ordi | ON OF THE SUBSTANCE OR MIXTURE: s not classified as dangerous, in accordance with Regulation (EU) No. 1272/2008~2020/1182 (CLP) n section 3 a range of percentages is used, the health and environmental hazards describe the effects of the highest of each component, but below the maximum value. oduct does not require a Safety Data Sheet according to the Regulation (EC) no. 2015/830. When used as recommer hary conditions, it should not present a physicochemical, health safety or environmental hazard. However, an MSDS of is a courtesy in response to a customer request. | |
| Hazard state None. Precautionar P102 P262 P280B P273 Supplementa EUH208 EUH208 EUH210 Substances t None. | loes not require pictograms, in accordance with Regulation (EU) No. 1272/2008~2020/1182 (CIP) ments: v statements: V statements: Do not get in eyes, on skin, or on clothing. Wear protective g loves and eye protection . Avoid release to the environment. ny statements: Contains mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1). May produce an allergic reaction. Safety data sheet available on request. hat contribute to classification: | |
| 2.3 <u>OTHER HAZA</u> Hazards white <u>Other physics</u> Other advers | aduct does not apply by spraying (hazardous respira ble droplets may not be formed). NDS: h do not result in classification but which may contribute to the overall hazards of the mixture: chemical hazards: No other relevant adverse effects are known. a human health effects: No other relevant adverse effects are known. e environmental effects: Does not contain substances that fulfil the PBT/vPvB criteria. | |

| | | N/INFORMATION ON INGREDIENTS | | | | | | |
|-----|--|--|---|--|--|--|--|--|
| 1 | SUBSTANCES: | | | | | | | |
| | Not applicable (mixt | ure). | | | | | | |
| 3.2 | Chemical description | MIXTURES: This product is a mixture. <u>Chemical description:</u> Mixture of pigments, extenders, resins and additives in aqueous media. | | | | | | |
| | HAZARDOUS INGRED Substances taking pa | IENTS: art in a percentage higher than the exemption limit: | | | | | | |
| | | action mass of 5-chloro-2-methyl-2H-isothiazol-3-one S: 55965-84-9, List No. 611-341-5 RE/ P: Danger: Acute Tox. (inh.) 2:H330 Acute Tox. (skin) ral) 3:H301 Skin Corr. 1C:H314 Eye Dam. 1:H318 S uatic Acute 1:H400 (M=100) Aquatic Chronic 1:H410 (| ACH: Exempt (biocide) Index No. 613-167-00-5 2:H310 Acute Tox. (Note B) < ATP13 kin Sens. 1A:H317 | | | | | |
| | Impurities: Does not contain oth | er components or impurities which will influence the clas | sification of the product. | | | | | |
| | <u>Stabilizers:</u> None | | | | | | | |
| | Reference to other se For more information | ections: , see sections 8, 11, 12 and 16. | | | | | | |
| | List updated by ECHA Substances SVHC sub | Y HIGH CONCERN (SVH Q): on 08/07/2021. vject to authorisation, included in Annex XIV of Regulation | <u>n (EC) no. 1907/2006:</u> | | | | | |
| | Substances SVHC car None | None Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006: | | | | | | |
| | | ABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULAB stances that fulfil the PBT/vPvB criteria. | LE VPVB SUBSTANCES: | | | | | |
| СТ | ION 4 : FIRST AID ME | ASURES | | | | | | |
| | DESCRIPTION OF FIRST-AID MEASURES: Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. | | | | | | | |
| 1 | Symptor | ms may occur after exposure, so that in case of direct ex | | | | | | |
| - | Symptor | ms may occur after exposure, so that in case of direct ex | | | | | | |
| - | Symptor persist, s | ms may occur after exposure, so that in case of direct ex seek medical attention. Never give anything by mouth t | o an unconscious person. | | | | | |
| • | Symptor persist, s | ms may occur after exposure, so that in case of direct ex seek medical attention. Never give anything by mouth t Symptoms and effects, acute and delayed It is not expected that symptoms will occur | o an unconscious person. Description of first-aid measures Should there be any symptoms, transfer the person | | | | | |
| • | Route of exposure | ms may occur after exposure, so that in case of direct ex seek medical attention. Never give anything by mouth t Symptoms and effects, acute and delayed It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur | Description of first-aid measures Should there be any symptoms, transfer the person affected to the open air. Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not | | | | | |
| - | Symptor Provide of exposure Inhalation: Skin: | ns may occur after exposure, so that in case of direct ex seek medical attention. Never give anything by mouth t Symptoms and effects, acute and delayed It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. | Description of first-aid measures Should there be any symptoms, transfer the person affected to the open air. Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners. Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the | | | | | |
| 2 | Symptor Route of exposure Inhalation: Skin: Eyes: Ingestion: MOST IMPORTANT SY | ms may occur after exposure, so that in case of direct exseek medical attention. Never give anything by mouth t Symptoms and effects, acute and delayed It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. | Description offirst-aid measures Should there be any symptoms, transfer the person affected to the open air. Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners. Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician. If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the | | | | | |
| 2 | Symptor Route of exposure Inhalation: Skin: Skin: Eyes: Ingestion: MOST IMPORTANT SY The main symptoms INDICATION OFANY I Notes to physician: | ms may occur after exposure, so that in case of direct exseek medical attention. Never give anything by mouth t Symptoms and effects, acute and delayed It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. If swallowed in high doses, may cause gastrointestinal disturbances. CMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: | Description of first-aid measures Should there be any symptoms, transfer the person affected to the open air. Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners. Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician. If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest. | | | | | |
| | Symptor Route of exposure Inhalation: Skin: Skin: Eyes: Ingestion: MOST IMPORTANT SY The main symptoms INDICATION OFANY I Notes to physician: | It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It swallowed in high doses, may cause gastrointestinal disturbances. MPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: and effects are indicated in sections 4.1 and 11.1 MME DIATE MEDICAL ATTENTION AND SPECIAL TREAT ME | Description offirst-aid measures Should there be any symptoms, transfer the person affected to the open air. Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners. Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician. If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest. | | | | | |
| 2 | Symptor Route of exposure Inhalation: Skin: Skin: Eyes: Ingestion: MOST IMPORTANT SY The main symptoms INDICATION OFANY I Notes to physician: | It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It is not expected that symptoms will occur under normal conditions of use. It swallowed in high doses, may cause gastrointestinal disturbances. MPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: and effects are indicated in sections 4.1 and 11.1 MME DIATE MEDICAL ATTENTION AND SPECIAL TREAT ME | Description offirst-aid measures Should there be any symptoms, transfer the person affected to the open air. Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners. Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician. If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest. | | | | | |

| | IEUCE NEUCECRIL- Rev. Elástico Mate Base 2 UTURO DA TINTA Code: 07.01.06.05 |
|-------|--|
| SECTI | ON 5 : FIRE-FIGHTING MEASURES |
| 5.1 | EXTINGUISHING MEDIA: In case of fire in the surroundings, all extinguishing agents are allowed. |
| 5.2 | SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products may be a hazard to health. |
| 5.3 | ADVICE FOR FIREFIGHTERS: Special protective equipment: Depending on magnitude offire, heat-proof protective dothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents. <u>Other recommendations:</u> Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. |
| SECTI | ON 6 : ACCIDENTAL RELEASE MEASURES |
| 6.1 | PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: Avoid direct contact with this product. |
| 6.2 | ENVIRONMENTAL PRECAUTIONS: Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations. |
| 6.3 | METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closed container. |
| 6.4 | REFERENCE TO OTHER SECTIONS: For contact information in case of emergency, see section 1. For information on safe handling, see section 7. For exposure controls and personal protection measures, see section 8. For waste disposal, follow the recommendations in section 13. |
| SECTI | ON 7 : HANDLING AND STORAGE |
| 7.1 | PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations: Avoid any type of leakage or escape. Keep the container tightly cb sed. Recommendations for the prevention of fire and explosion risks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with scop and water. For exposure controls and personal protection measures, see section 8. Recommendations for the prevention of environmental contamination:: It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6. |
| 7.2 | CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of rea dn of children. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. : According to current legislation. Class of storage : According to current legislation. Maximum storage period : 12. months Temperature interval : min: 5. °C, max: 35. °C (recommended). Incompatible materials: Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. Type of packaging: According to current legislation. According to current legislation. : min: 5. °C, max: 35. °C (recommended). Incompatible materials: : Maximum storage period in a vertical position strongly alkaline and strongly acid materials. Type of packaging: : According to current legislation. Imit quantity (Seveso III): Directive 2012/18/EU: Not applicable (product for non industrial use). : |
| 7.3 | SPECIFIC END USES: For the use of this product particular recommendations apart from that already indicated are not available. |

| | IEUCE | NEUCECRIL- Rev. Elástico Mate Base 2 Code: 07.01.06.05 | | | | | |
|--------|--|---|---|---|---|--|--|
| SECTIO | ON 8 : EXPOS | URE CONTROLS/PERSONAL PROTECTION | | | | | |
| 8.1 | CONTROL PARAMETERS: If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assesing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances. OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV) | | | | | | |
| | AGCIH 2020 | <u>Year</u> | ppm mg/m3 | TLV-STEL ppm mg/m3 | <u>Remarks</u> | | |
| | | C 247-500-7 MIT EC 220-239-6 (3:1) Id Limit Value, TWA - Time Weighted Average, STEL- Sh | - 0.080 | - 0.23 | Recommended | | |
| | Not available <u>DERIVED NO-</u> Derived no-et included in RE recommende | IMIT VALUES: EFFECT LEVEL (DNEL): fect level (DNEL) is a level of exposure that is considered ACH. DNEL values may differ from a occupational exposed d by a particular company, a government regulatory age OEL values are derived by a process different of REACH. | re limit (OEL) for the same | chemical. OEL values may | ome | | |
| | - Systemic ef | fect level, workers: fects, acute and chronic: C247-500-7 MIT EC 220-239-6 (3:1) | DNEL Inhalation mg/m3 - (a) - (c) | DNEL Cutaneous mg/kg bw/d - (a) - (c) | DNEL Oral mg/kg bw/d - (a) - (c) | | |
| | - Local effects | fect level, workers: ;, acute and chronic: C 247-500-7 MIT EC 220-239-6 (3:1) | DNEL Inhalation mg/m3 - (a) - (c) | DNEL Cutaneous mg/cm2 - (a) - (c) | <u>DNEL Eyes</u> mg/cm2 - (a) - (c) | | |
| | - Systemic ef | fect level, general population: fects, acute and chronic: C 247-500-7 MIT EC 220-239-6 (3:1) | DNEL Inhalation mg/m3 - (a) - (c) | DNEL Cutaneous mg/kg bw/d - (a) - (c) | DNEL Oral mg/kg bw/d - (a) - (c) | | |
| | Local effects | fect level, general population: ;, acute and chronic: C 247-500-7 MIT EC 220-239-6 (3:1) | DNEL Inhalation mg/m3 - (a) - (c) | DNEL Cutaneous mg/cm2 - (a) - (c) | DNEL Eyes mg/cm2 - (a) - (c) | | |
| | (-) - DNEL not available (without data of registration REACH). PREDICTED NO-EFFECT CONCENTRATION (PNEC): | | | | | | |
| | - Fresh water | effect concentration, aquatic organisms: ; marine water and intermittent release: C 247-500-7 MIT EC 220-239-6 (3:1) | PNEC Fresh water mg/l - | PNEC Marine mg/l | <u>PNEC Intermittent</u> mg/l - | | |
| | fresh- and ma | treatmentplants(STP) and sediments in arine water: C 247-500-7 MIT EC 220-239-6 (3:1) | PNEC STP mg/l - | PNEC Sediments mg/kg dw/d - | PNEC Sediments mg/kg dw/d - | | |
| | - Air, soil and | effect concentration, terrestrial organisms: effects for predators and humans: C 247-500-7 MIT EC 220-239-6 (3:1) | PNEC Air mg/m3 | PNEC Soil mg/kg dw/d - | PNEC Oral mg/kg dw/d - | | |
| | (-) - PNEC no | t available (without data of registration REACH). | | | | | |

| | IEUCE | NEUCECRIL- Rev. Elástico Mate Base 2 Code: 07.01.06.05 |
|-----|--|---|
| 8.2 | EXPOSURE CO | DNTROLS: |
| | ENGINEERING | <u>G MEASURES:</u> |
| | | Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. |
| | Protection of Protection of I creams may | respiratory system: eyes and face: It is recommended to install water taps or sources with clean water close to the working area. hands and skin: It is recommended to install water taps or sources with clean water close to the working area. Barrier help to protect the exposed areas of the skin. Barrier creams should not be applied once exposure has occurred. AL EXPOSURE CONTROLS: Regulation (EU) No. 2016/425: |
| | (PPE), with the type and chains of the type and chains of the type and chains of the type and t | neasure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment ne corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, racteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative ovided by the manufacturers of PPE. |
| | Mask: | No, unless ventilation is insufficient. |
| | Safety goggle | Safety goggles with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer. |
| | Face shield : | No. |
| | Gloves: | Gloves resistant against chemicals (EN374). When repeated or prolonged contact with the product is expected, gloves of protection level 5 or higher should be used, with a breakthrough time of > 240 min. When short contact with the product is expected, use gloves with a protection level 2 or higher should be used, with a breakthrough time > 30 min. The breakthrough time of the selected glove material should be in accordance with the pretended period of use. There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should be taken into account. The gloves should be immediately replaced when any sign of degradation is noted. |
| | Boots: | No. |
| | Apron: | No. |
| | <u>Clothing:</u> | No. |
| | ENVIRONMEN Avoid any spi Spills on the s | e (the product is handled at room temperature). <u>ITAL EXPOSURE CONTROLS:</u> illage in the environment. <u>soil:</u> Prevent contamination of soil. r: Do not allow to escape into drains, sewers or water courses. |
| | - Water Mana | agement Act: This product does not contain any substance included in the list of priority substances in the field of water Directive 2000/60/EC~2013/39/EU. |
| | Emissions to t | the atmosphere: Not applicable. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

NEUCE NEUCECRIL- Rev. Elástico Mate Base 2 Code: 07.01.06.05 O FUTURO DA TINTA **SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES** INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES: 9.1 Appearance Physical state Liquid. - Colour Diverse. Odour ż Characteristic. <u>pH-value</u> - pH 8. ± 1. at 20°C Change of state Initial boiling point > 100* °C at 760 mmHg ż Density Relative density ÷ 1.24 ± 0.1 at 20/4°C **Relative water Stability** Viscosity Dynamic viscosity 30800. ± 3080. 20°C cps mm2/sat 40°C **Kinematic viscosity** 8500. Volatility: Evaporation rate 40.5* nBuAc=100 25°C Relative 17.5* Vapour pre ssu re mmHg at 20°C 12.3* kPa at 50°C Vapour pre ssu re Solubility(ies) Solubility in water: Miscible. - Partition coefficient: n-octanol/water Not applicable (mixture). Flammability: - Flash point Não inflamável °C - Lower/upper flammability or explosive limits Not available Autoignition temperature Explosive properties: Not applicable (do not sustain combustion). ÷ Not available. Oxidizing properties Not classified as oxidizing product. *Estimated values based on the substances composing the mixture. 9.2 **OTHER INFORMATION:** - Heat of combustion 1396* Kcal/kg ż 50.8 % Weight Solids - VOC (supply) 16.0 g/l The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the corresponding technical data sheet. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. SECTION 10 : STABILITY AND REACTIVITY 10.1 REACTIVITY: Corrosivity to metals: It is not corrosive to metals. Pyrophorical properties: It is not pyrophoric. 10.2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 10.3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing agents, acids. 10.4 CONDITIONS TO AVOID : <u>Heat:</u> Light: Keep away from sources of heat. If possible, avoid direct contact with sunlight. Air: The product is not affected by exposure to air, but should not be left the containers open. Pressure: Not relevant. Shock: The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations. 10.5 INCOMPATIBLE MATERIALS: Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. HAZARDOUS DECOMPOSITION PRODUCTS: 10.6 As consequence of thermal decomposition, hazardous products may be produced: carbon monoxide.

Date of compilation: 23/11/2021

Page 6/10

SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

| NEUCE | | lástico Mate Base 2 | | | | | | |
|--|--|------------------------|------|--|---|--|--|--|
| FUTURO DA TINTA | Code: 07.01.06.05 | | | | | | | |
| ION 11 : TOXI | COLOGICAL INFORM | ATION | | | | | | |
| perimental toxicological data on the preparation is available. The toxicological class fication for these mix ture has been carried out by the conventional calculation method of the Regulation (EU) No. 1272/2008~2020/1182 (CLP). | | | | | | | | |
| INFORMATIO | INFORMATION ON TOXICOLOGICAL EFFECTS: | | | | | | | |
| ACUTE TOXIC | <u>ITY:</u> | | | | | | | |
| for individual | Dose and lethal concentrations for individual ingredients : Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) | | | | LD50 (OECD 402) mg/kg bw cutaneous 140. Rat | LC50 (OECD 403 mg/m3·4h inhalation > 1230. Rat | | |
| Estimates of for individual | acute toxicity (ATE) | | | ATE mg/kg bw oral | ATE mg/kg bw cutaneous | ATE mg/m3·4h inhalation | | |
| | C 247-500-7 MIT EC 220 |)-239-6(3:1) | | 75. | 140. | 1230. | | |
| route are ign <u>No observed</u> Not available | results. (-) - The components that are assumed to have no acute toxicity at the upper threshold of category 4 for the corresponding exposure route are ignored. <u>No observed adverse effect level</u> . <u>Not available</u> <u>Lowest observed adverse effect level</u> . Not available | | | | | | | |
| Routes of exp | | Acute toxicity | Cat. | Main effects, acute and/o | rdelayed | Criteria | | |
| Inhalation: Not classified | | ATE > 20000 mg/m3 | - | Not classified as a produc | t with acute toxicity if inhal , the classification criteria a | led GHS/CL | | |
| <u>Skin:</u> Not classified | | ATE > 2000 mg/kg bw | - | Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met). | | | | |
| Eyes: Not classified | | Not available | - | Not classified as a produc contact (lack of data). | e GHS/CL 1.2.5. | | | |
| Ingestion: Not classified | | ATE > 2000 mg/kg bw | - | Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met). | | | | |
| GHS/CLP 3.1.3. | GHS/CLP 3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula). | | | | | | | |
| CORROSION | / IRRITATION / SENSITIS | ATION : | | | | I | | |
| Danger class | | Target organs | Cat. | Main effects, acute and/o | rdelayed | Criteria | | |
| Respiratory c Not classified | <u>o rrosion/irrita tion:</u> | - | - | Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met). | | | | |
| Skin corrosio Not classified | | - | - | Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met). | | | | |
| Serious eye of Not classified | lamage/irritation: | - | - | Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met). | | | | |
| Respiratory s Not classified | | - | - | Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met). | | | | |
| | ation: | _ | | Not classified as a produc | t sensitising by skin contac | t GHS/CLI | | |

GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components.

ASPIRATION HAZARD:

| Danger dass | Target organs | Cat. | Main effects, acute and/or delayed | Criteria |
|--------------------------------------|---------------|------|---|----------------------|
| Aspiration hazard: Not classified | - | - | Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met). | GHS/CLP 3.10.3.3. |

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.

SAFETY DATA SHEET (REACH)

| | | lation (EC) No. 1907/2006 and Regulation | (EU) No.201 | | | | | |
|---|--|--|---------------|--|--|------------------------------------|-------------------------|--|
| | IEUCE | NEUCECRIL- Rev. Elástico Mate Base Code: 07.01.06.05 | 2 | | | | | |
| | <u>CMR EFFECTS:</u> <u>Carcinogenic effects:</u> It is not considered as a carcinogenic product. <u>Genotoxicity:</u> It is not considered as a mutagenic product. <u>Toxicity for reproduction</u> : Does not harm fertility. Does not harm the unborn child. <u>Effects via lactation</u> : Not classified as a hazardous product for children breast-fed. | | | | | | | |
| | DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: <u>Routes of exposure</u> : Not available. Short-term exposure: Not available. | | | | | | | |
| | <u>INTERACTIVE</u> Not available. | | | | | | | |
| | INFORMATION Dermal absorp | ABOUT TOXICOCINETICS, METABOLISM AI otion: Not available. netics: Not available. | ND DISTRIBUT | ION: | | | | |
| | ADDITIONAL I Not available. | NFORMATION: | | | | | | |
| ECTIO | ON 12 : ECOLO | DGICAL INFORMATION | | | | | | |
| | | oxicological data on the preparation as suc e conventional calculation method of the F | | | | asbæn | | |
| 2.1 | TOXICITY: | | | 1 | | Γ | | |
| | for individual i | in aquatic environment_ ngredients : 2 247-500-7 MIT EC 220-239-6 (3:1) | | LC50 (OECD 203) mg/l·96hours 0.19 Fishes | EC50 (OECD 202) mg/l·48hours 0.16 Daphnia | EC50 (Ol mg/I·72hours 0.0052 | | |
| | | effect concentration | | NOEC (OECD 210) mg/l·28days | NOEC (OECD 211) mg/l·21days | NOEC (O mg/1·72hours | s | |
| | Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) 0.020 Fishes 0.011 Daphnia 0.00049 Algae Lowest observed effect concentration Not available | | | | | | | |
| | ASSESSMENT | OF AQUAT IC TOXICITY: | | | | | | |
| | Aquatic toxicit | у | Cat. | Main hazards to the aqua | lain hazards to the aquatic environment Criteria | | | |
| | Acute aquatic Not classified | toxicity: | - | | | GHS/CLP 4.1.3.5.5.3. | | |
| | Chronic aquat Not classified | ic toxicity: | - | | | | GHS/CLP 4.1.3.5.5.4. | |
| | | Classification of a mixture for acute hazards, base Classification of a mixture for chronic (long term) | | | nponents. | | | |
| 2.2 | PERSISTENCE AND DEGRADABILITY: Not available. | | | | | | | |
| | Aerobic biodegradation for individual ingredients : Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) | | | DQO mgO2/g | <u>%DBO/DQO</u> 5 days 14 days 28 days 55. | <u>Biodegrada</u> Not easy | <u>ability</u> | |
| | Note: Biodegradability data correspond to an average of data from various bibliographic sources. | | | | | | | |
| 2.3 | BIOACCUMULATIVE POTENTIAL: Not available. | | | | | | | |
| | Bioaccumulation for individual ingredients : | | | <u>log Pow</u> 0.750 | BCF L/kg 3.2 (calculated) | <u>Potential</u> Unlikely, lo |))// | |
| 2.4 | Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) 0.750 3.2 (calculated) Unlikely, low MOBILITY IN SOIL: Not available. | | | | | | <u>.</u> | |
| | Mobility for individual ingredients : | | | log Poc | Constant of Henry Pa·m3/mol 20°C | Potential | | |
| 2.5 | RESULTS OF PI | C247-500-7 MIT EC 220-239-6 (3:1) <u>BT AND VPVB ASSESMENT:</u> Annex XIII of | Regulation (E | 0.450 C) no. 1907/2006: | | Unlikely, lo | W | |
| | Does not cont | ain substances that fulfil the PBT/vPvB crite | eria. | | | | | |
| 2.6 <u>OTHER ADVERSE EFFECTS:</u> Ozone depletion potential: Not applicable. Photochemical ozone creation potential: Not available. Earth global warming potential: Not available. Endocrine disrupting potential: Not available. | | | | | | | | |

Date of compilation: 23/11/2021 Page 8 / 10

| 31.1 | IEUCE | NEUCECRIL- Rev. Elástico Mate Base 2 Code: 07.01.06.05 | | | | | | |
|--------|--|--|-----|--|--|--|--|--|
| SECTIO | SECTION 13 : DISPOSAL CONSIDERATIONS | | | | | | | |
| 13.1 | Take all neces recycling. Do and disposed section 8. Disposal of en Emptied cont packaging as classification, | Disposal of empty containers: Directive 94/62/EC~2015/720/EU, Decision 2000/532/EC~2014/955/EU: Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The classification of backaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification, in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself. | | | | | | |
| | Procedures fo Authorised la | r neutralising or destroying the product: ndfill in accordance with local regulations. | | | | | | |
| SECTIO | DN 14 : TRAN | SPORT INFORMATION | | | | | | |
| 14.1 | UN NUMBER: | Not applicable | | | | | | |
| 14.2 | UN PROPER S | HIPPING NAME: Not applicable | | | | | | |
| 14.3 | Transport by I | AZARD CLASS(ES): oad (ADR 2021) and ail (RID 2021): | | | | | | |
| | Not regulated Transport by a Not regulated | air (ICAO/IATA 2021): | | | | | | |
| 14.4 | Not regulated | | | | | | | |
| | Not regulated | | | | | | | |
| 14.5 | | ITAL HAZARD S: e (not classified as hazardous for the environment). | | | | | | |
| 14.6 | | AUTIONS FOR USER: ersons transporting the product know what to do in case of accident or spill. Always transport in closed containe rst nd secure. | hat | | | | | |
| 14.7 | TRANSPORT I Not applicable | N BULK ACCORDING TO ANNEX II OF MARP OL 73/78 AN D THE IBC CO DE: e. | | | | | | |
| SECTIO | ON 15 : REGU | LATORY INFORMATION | | | | | | |
| 15.1 | The regulation | EALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: ns applicable to this product generally are listed throughout this Safety Data Sheet. n manufacture, placing on market and use: See section 1.2 | | | | | | |
| | | in manufacture, placing of market and use. See section 1.2 | | | | | | |
| | | | | | | | | |
| | VOC informati | rotection: Not applicable (the classification criteria are not met). on on the label: max. 16. g/l - The limit value 2004/42/CE-IIA cat. c) for the product ready for use is VOC max. 40. g/l (2010). | | | | | | |
| | OTHER REGU | | | | | | | |
| | <u>Control of the</u> | risks inherent in major accidents (Seveso III): See section 7.2 | | | | | | |
| | Other local leg | <u>gislations :</u> should verify the possible existence of local regulations applicable to the chemical. | | | | | | |
| 15.2 | | FETY ASSESSMENT: fety assessment has not been carried out for this mixture. | | | | | | |
| | | | | | | | | |

| O FUTURO DA TINTA | NEUCECRIL- Rev. Elastico Mate Base 2 Code: 07.01.06.05 | |
|---|---|----|
| SECTION 16 : OTH | HER INFORMATION | |
| TEXT OF TH Hazard statH301 Toxic skin reactic with long la | EPHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3: ements according the Regulation (EU) No. 1272/2008-2020/1182 (CP), Annex III: if wallowed 1310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an all n. H318 Causes serious eye damage. H330 Fatal if in ha ed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life sting effects. EUH071 Corrosive to the respiratory tarct. ed to the identification. classification and labelling of the substances: me substances are placed on the market in aqueous solutions at various concentrations and these solutions require solication and labelling since the hazards vary at different concentrators. NO FTHE INFORMATION ON THE DANGER OF MIXTURES: See sections 9.1, 11.1 and 12.1. VANY TRAINING APPROPRIATE FOR WORKERS. mended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in orde derstanding and interpretation of Safety Data Sheets and labelling of products as well. ATURE REFERENCES AND SOURCES FOR DATA. Chemicals Agency: ECH4, http://eur-lex.europa.eu/ European Union Law, http://eur-lex.europa.eu/ European Union Law, http://eur-lex.europa.eu/ European Union Law, http://eur-lex.europa.eu/ European Union Law, http://eur-lex.europa.eu/ European Inventory of Existing Commercial Chemical Softey Data Sheet: egulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. Jally Harmonized System of Classification and Labelling of Oremicals of the United Nations. pean regularion on Classification, Labelling and Packaging of substances and chemical mixtures. Unopean List of Notified Chemical Substances. Unopean List of Notified Chemical Substances. Unopean List of Notified Chemical Substances. Unopean List of Notified Chemical Substances. Incla Abstracts Service (Division of the American Chemical Society). Stances of Wury High Concern. Stances of Wury High Concern. Stances of Wury High Concern. Stance of Chemical Substances. In earonal Amintione C | fe |
| | his Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' | |
| obtaining written ha down in the local ru | are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without i andling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid les and legislation. The information in this Safety Data Sheet is meant as a description of the safety requirements of the to be considered as a guarantee of the product's properties. | |