

PLIONEUCE SEALER - Anti-Salt peter
Code: 01.06

Version: 8 Revision: 25/05/2022

Previous revision: 01/06/2017

Date of printing: 25/05/2022

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 **PRODUCT IDENTIFIER:**
UFI: 7E50-708S-100C-H1T1
PLIONEUCE SEALER - Anti-Salt peter
Code: 01.06
- 1.2 **RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:**
Intended uses (main technical functions): [] Industrial [X] Professional [X] Consumers
Binding primer, solvent-borne.
Sectors of use:
Professional uses (SU22).
Consumer uses (SU21).
Uses advised against:
This product is not recommended for any use or sector of use (industrial, professional or consumer) other than those previously listed as 'Intended or identified uses'.
Restrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006:
Not restricted.
- 1.3 **DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:**
NEUCE - Indústria de Tintas, S.A.
Rua Francisco Rocha - Aptdo. 4514 - 3700-892 - Romariz SJM (Portugal)
Phone: +351 256 840040 - Fax: +351 256 840049
E-mail address of the person responsible for the Safety Data Sheet:
e-mail: geral@neuce.pt
- 1.4 **EMERGENCY TELEPHONE NUMBER:** +351 256 840041 (9:00-18:30 h.) (working hours)

SECTION 2 : HAZARDS IDENTIFICATION

- 2.1 **CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:**
Classification of mixtures is carried out in accordance with the following principles: a) when data (tests) for the classification of mixtures are available, generally is carried out based on these data, b) in the absence of data (tests) for mixtures are generally used interpolation or extrapolation methods of assessing the risk, using the available data for mixtures similarly classified, and c) in the absence of tests and information which would allow to apply interpolation or extrapolation techniques, methods are used to classify risk assessment based on the data of the individual components in the mixture.
Classification in accordance with Regulation (EU) No. 1272/2008~2020/1182 (CLP):
DANGER: Flam. Liq. 3:H226 | Lact.:H362 | STOT SE (narcosis) 3:H336 | STOT RE 1:H372 | Asp. Tox. 1:H304 | Aquatic Acute 1:H400 | Aquatic Chronic 2:H411 | EUH066

Danger class	Classification of the mixture	Cat.	Routes of exposure	Target organs	Effects
<u>Physicochemical:</u> 	Flam. Liq. 3:H226 Lact.:H362 STOT SE (narcosis) 3:H336 STOT RE 1:H372	c) c) c) c)	Cat.3 - Cat.3 Inhalation	- - CNS Systemic	- - Narcosis Damage Dead
<u>Human health:</u> 	Asp. Tox. 1:H304 Aquatic Acute 1:H400 Aquatic Chronic 2:H411 EUH066	c) c) c) c)	Cat.1 Inhalation Ingestion+Aspiration - - Skin	Lungs - - Skin	- - - Dryness, Cracking
<u>Environment:</u> 		c) -			

Full text of hazard statements mentioned is indicated in section 16.

Note: When in section 3 a range of percentages is used, the health and environmental hazards describe the effects of the highest concentration of each component, but below the maximum value.

- 2.2 **LABEL ELEMENTS:**

This product is labelled with the signal word DANGER in accordance with Regulation (EU) No. 1272/2008~2020/1182 (CLP)
- Hazard statements:
H226 Flammable liquid and vapour.
H362 May cause harm to breast-fed children.
H372 Causes damage to organs through prolonged or repeated exposure if inhaled.
H304 May be fatal if swallowed and enters airways.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
EUH066 Repeated exposure may cause skin dryness or cracking.
- Precautionary statements:
P101 If medical advice is needed, have product container or label at hand.
P102-P403 Keep out of reach of children. Store locked up.
P103 Read label before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



PLIONEUCE SEALER - Anti-Salt peter
Code: 01.06



P280F Wear protective gloves, clothing and eye protection. In case of inadequate ventilation wear respiratory protection.
P301+P310-P330+P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.
P273-P391-P501a Avoid release to the environment. Collect spillage. Dispose of contents/container in accordance with local regulations.

Supplementary statements:
None.
Substances that contribute to classification:
Hydrocarbons C9-C12 (aromatics 2-25%)
Hydrocarbons C9 aromatics

2.3 OTHER HAZARDS:
Hazards which do not result in classification but which may contribute to the overall hazards of the mixture:
Other physicochemical hazards: # No other relevant adverse effects are known.
Other adverse human health effects: # No other relevant adverse effects are known.
Other negative environmental effects: # Does not contain substances that fulfil the PBT/vPvB criteria.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCES:
Not applicable (mixture).

3.2 MIXTURES:
This product is a mixture.
Chemical description:
Mixture of acrylic polymer and additives.

HAZARDOUS INGREDIENTS:
Substances taking part in a percentage higher than the exemption limit:

80 < 90 % Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
(CAS: 64742-82-1) , List No. 919-446-0 REACH: 01-2119458049-33
CLP: Danger: Flam. Liq. 3:H226 | STOT SE (narcosis) 3:H336 | STOT RE 1:H372i
| Asp. Tox. 1:H304 | Aquatic Chronic 2:H411 | EUH066 Autoclassified < REACH

5 < 10 % Hydrocarbons C9 aromatics
(CAS: 64742-95-6) , List No. 918-668-5 REACH: 01-2119455851-35
CLP: Danger: Flam. Liq. 3:H226 | STOT SE (irrit.) 3:H335 | STOT SE (narcosis) 3:H336 | Asp. Tox. 1:H304 | Aquatic Chronic 2:H411 | EUH066 Autoclassified < REACH

1 < 2,5 % Chlorinated paraffins C14-C17
CAS: 85535-85-9 , EC: 287-477-0 REACH: 01-2119519269-33
CLP: Warning: Lact.:H362 | Aquatic Acute 1:H400 (M=100) | Aquatic Chronic 1:H410 (M=10) | EUH066 Index No. 602-095-00-X < REACH / AT P01

Impurities:
Does not contain other components or impurities which will influence the classification of the product.

Stabilizers:
None

Reference to other sections:
For more information on hazardous ingredients, see sections 8, 11, 12 and 16.

SUBSTANCES OF VERY HIGH CONCERN (SVHC):
List updated by ECHA on 08/07/2021.
Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:
None
Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:
Chlorinated paraffins C14-C17 , PBT (Article 57d) , vPvB (Article 57e) , Resolution: ECHA/D(2021)4569-DC.

PERSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES:
Does not contain substances that fulfil the PBT/vPvB criteria.



PLIONEUCE SEALER - Anti-Salt peter
Code: 01.06



SECTION 4 : FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST-AID MEASURES:



In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Never give anything by mouth to an unconscious person. Lifeguards should pay attention to self-protection and use the recommended protective equipment if there is a possibility of exposure. Wear protective gloves when administering first aid. It can be dangerous to the person giving artificial respiration by mouth-to-mouth (the kiss of life).

Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures
<u>Inhalation:</u> 	# Vapours may cause drowsiness and dizziness.	# Remove the patient out of the contaminated area into the fresh air. If breathing is irregular or stops, administer artificial respiration. If the person is unconscious, place in appropriate recovery position. Keep the patient warm and at rest until medical attention arrives.
<u>Skin:</u>	# It is not expected that symptoms will occur under normal conditions of use.	# Remove immediately contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners.
<u>Eyes:</u>	# It is not expected that symptoms will occur under normal conditions of use.	# Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced. If irritation persists, consult a physician.
<u>Ingestion:</u> 	# If swallowed, may cause gastrointestinal disturbances.	# If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

The main symptoms and effects are indicated in sections 4.1 and 11.1

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Notes to physician: # The product inhaled during vomiting could cause lung damage. Thus, emesis should not be induced, neither mechanically nor pharmacologically. In the case of ingestion, empty the stomach with caution.

Antidotes and contraindications: # Specific antidote not known. In the case of a pneumonia by chemical agents, must be considered a therapy with antibiotics and corticosteroids.

SECTION 5 : FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Extinguishing powder or CO₂. In the case of more important fires, also alcohol resistant foam and water spray/mist.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Fire can produce a dense black smoke. As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide, halogenated compounds, hydrochloric acid. Exposure to combustion or decomposition products may be a hazard to health.

5.3 ADVICE FOR FIREFIGHTERS:

Special protective equipment: # Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents.

Other recommendations: # Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Eliminate possible sources of ignition and when appropriate, ventilate the area. Do not smoke. Avoid direct contact with this product.

6.2 ENVIRONMENTAL PRECAUTIONS:

Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

Contain and mop up spills with non-combustible absorbent materials (earth, sand, vermiculite, diatomaceous earth, etc..). Clean preferably with a biodegradable detergent. Keep the remains in a closed container.

6.4 REFERENCE TO OTHER SECTIONS:

For contact information in case of emergency, see section 1.

For information on safe handling, see section 7.

For exposure controls and personal protection measures, see section 8.

For waste disposal, follow the recommendations in section 13.



PLIONEUCE SEALER - Anti-Salt peter
Code: 01.06



SECTION 7 : HANDLING AND STORAGE

- 7.1 **PRECAUTIONS FOR SAFE HANDLING:**
 # Comply with the existing legislation on health and safety at work.
General recommendations:
 # Avoid any type of leakage or escape. Keep the container tightly closed.
Recommendations for the prevention of fire and explosion risks:
 # Due to its flammability, this material should only be used in areas from which all naked lights and other sources of ignition have been excluded and away from other heat or electrical sources. Switch mobile phones off and do not smoke. No tools with a potential for sparks should be used.
 - Flash point : # 44* # °C # CLP 2.6.4.3.
 - Autoignition temperature : # 261* # °C
 - Lower/upper flammability or explosive limits : # 0.6* - 7.0* % Volume 25 °C
Recommendations for the prevention of toxicological risks:
 # Do not eat, drink or smoke while handling. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8.
Recommendations for the prevention of environmental contamination:
 # Avoid any spillage in the environment. Pay special attention to the cleaning water. In the case of accidental spillage, follow the instructions indicated in section 6.
- 7.2 **CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:**
 # Keep locked up. Forbid the entry to unauthorized persons. Keep out of reach of children. This product should be stored isolated from heat and electrical sources. Do not smoke in storage area. If possible, avoid direct contact with sunlight. Avoid extreme humidity conditions. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10.
Class of storage : # According to current legislation.
Maximum storage period : # 24. months
Temperature interval : # min: 5. °C, max: 35. °C (recommended).
Incompatible materials:
 # Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.
Type of packaging:
 # According to current legislation.
Limit quantity (Seveso III): # Directive 2012/18/EU:
 Not applicable (product for non industrial use) . .
- 7.3 **SPECIFIC END USES:**
 # For the use of this product particular recommendations apart from that already indicated are not available.



PLIONEUCE SEALER - Anti-Salt peter
Code: 01.06



SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1

CONTROL PARAMETERS:

If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assessing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances.

OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)

AGCIH 2020	Year	TLV-TWA		TLV-STEL		Remarks
		ppm	mg/m ³	ppm	mg/m ³	
Hydrocarbons C9-C12 (aromatics 2-25%)		100.	-	-	-	Recommended
Hydrocarbons C9 aromatics		50.	290.	-	-	

TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit.

BIOLOGICAL LIMIT VALUES:

Not available

DERIVED NO-EFFECT LEVEL (DNEL):

Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH. DNEL values may differ from an occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.

Derived no-effect level, workers:

- Systemic effects, acute and chronic:

Hydrocarbons C9-C12 (aromatics 2-25%)
Hydrocarbons C9 aromatics
Chlorinated paraffins C14-C17

DNEL Inhalation

mg/m³
570. (a) 330. (c)
- (a) 150. (c)
- (a) 6.70 (c)

DNEL Cutaneous

mg/kg bw/d
s/r (a) 21.0 (c)
- (a) 25.0 (c)
- (a) 47.9 (c)

DNEL Oral

mg/kg bw/d
- (a) - (c)
- (a) - (c)
- (a) - (c)

Derived no-effect level, workers:

- Local effects, acute and chronic:

Hydrocarbons C9-C12 (aromatics 2-25%)
Hydrocarbons C9 aromatics
Chlorinated paraffins C14-C17

DNEL Inhalation

mg/m³
s/r (a) s/r (c)
- (a) - (c)
- (a) - (c)

DNEL Cutaneous

mg/cm²
s/r (a) s/r (c)
- (a) - (c)
- (a) - (c)

DNEL Eyes

mg/cm²
s/r (a) - (c)
- (a) - (c)
- (a) - (c)

Derived no-effect level, general population:

- Systemic effects, acute and chronic:

Hydrocarbons C9-C12 (aromatics 2-25%)
Hydrocarbons C9 aromatics
Chlorinated paraffins C14-C17

DNEL Inhalation

mg/m³
570. (a) 71.0 (c)
- (a) 32.0 (c)
- (a) 2.00 (c)

DNEL Cutaneous

mg/kg bw/d
s/r (a) 12.0 (c)
- (a) 11.0 (c)
- (a) 28.7 (c)

DNEL Oral

mg/kg bw/d
s/r (a) 21.0 (c)
- (a) 11.0 (c)
- (a) 0.580 (c)

Derived no-effect level, general population:

- Local effects, acute and chronic:

Hydrocarbons C9-C12 (aromatics 2-25%)
Hydrocarbons C9 aromatics
Chlorinated paraffins C14-C17

DNEL Inhalation

mg/m³
s/r (a) s/r (c)
- (a) - (c)
- (a) - (c)

DNEL Cutaneous

mg/cm²
s/r (a) s/r (c)
- (a) - (c)
- (a) - (c)

DNEL Eyes

mg/cm²
s/r (a) - (c)
- (a) - (c)
- (a) - (c)

(a) - Acute, short-term exposure, (c) - Chronic, long-term or repeated exposure.

(-) - DNEL not available (without data of registration REACH).

s/r - DNEL not derived (not identified hazard).



PLIONEUCE SEALER - Anti-Saltpeper
Code: 01.06



PREDICTED NO-EFFECT CONCENTRATION (PNEC):

Predicted no-effect concentration, aquatic organisms:

- Fresh water, marine water and intermittent release:
Hydrocarbons C9-C12 (aromatics 2-25%)
Hydrocarbons C9 aromatics
Chlorinated paraffins C14-C17

PNEC Fresh water

mg/l
uvcb
uvcb
0.00100

PNEC Marine

mg/l
uvcb
uvcb
0.000200

PNEC Intermittent

mg/l
uvcb
uvcb
-

- Wastewater treatment plants (STP) and sediments in fresh- and marine water:

Hydrocarbons C9-C12 (aromatics 2-25%)
Hydrocarbons C9 aromatics
Chlorinated paraffins C14-C17

PNEC STP

mg/l
uvcb
uvcb
80.0

PNEC Sediments

mg/kg dw/d
uvcb
uvcb
13.0

PNEC Sediments

mg/kg dw/d
uvcb
uvcb
2.60

Predicted no-effect concentration, terrestrial organisms:

- Air, soil and effects for predators and humans:
Hydrocarbons C9-C12 (aromatics 2-25%)
Hydrocarbons C9 aromatics
Chlorinated paraffins C14-C17

PNEC Air

mg/m3
uvcb
uvcb
-

PNEC Soil

mg/kg dw/d
uvcb
uvcb
11.9

PNEC Oral

mg/kg dw/d
uvcb
uvcb
10.0

(-) - PNEC not available (without data of registration REACH).

uvcb - The substance has an unknown or variable composition (UVCB). The conventional methods to derive the PNEC are not appropriate and it is not possible to identify a single PNEC representative for these substances, and therefore not used in calculations for risk assessment.

8.2

EXPOSURE CONTROLS:

ENGINEERING MEASURES:



Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measures are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.

Protection of respiratory system: # Avoid the inhalation of product.

Protection of eyes and face: # It is recommended to install water taps or sources with clean water close to the working area.

Protection of hands and skin: # It is recommended to install water taps or sources with clean water close to the working area. Barrier creams may help to protect the exposed areas of the skin. Barrier creams should not be applied once exposure has occurred.

OCCUPATIONAL EXPOSURE CONTROLS: Regulation (EU) No. 2016/425:

As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc.), you should consult the informative brochures provided by the manufacturers of PPE.

Mask:



Mask for gases and vapours (EN14387). Class 1: low capacity up to 1000 ppm, Class 2: medium capacity up to 5000 ppm, Class 3: high capacity up to 10000 ppm. In order to obtain a suitable protection level, the filter class must be selected depending on the type and concentration of the contaminating agents present, in accordance with the specifications supplied by the filter producers.

Safety goggles:



Safety goggles with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.

Face shield:

No.

Gloves:



Gloves resistant against chemicals (EN374). When repeated or prolonged contact with the product is expected, gloves of protection level 5 or higher should be used, with a breakthrough time of >240 min. When short contact with the product is expected, use gloves with a protection level 2 or higher should be used, with a breakthrough time >30 min. The breakthrough time of the selected glove material should be in accordance with the pretended period of use. There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should be taken into account. Use the proper technique of removing gloves (without touching glove's outer surface) to avoid contact of the product with the skin. The gloves should be immediately replaced when any sign of degradation is noted.

Boots:

No.

Apron:

No.

Clothing:

Advisable.

Thermal hazards:

Not applicable (the product is handled at room temperature).

ENVIRONMENTAL EXPOSURE CONTROLS:

Avoid any spillage in the environment.

Spills on the soil: # Prevent contamination of soil.



PLIONEUCE SEALER - Anti-Salt peter
Code: 01.06



Spills in water: # Do not allow to escape into drains, sewers or water courses.
- Water Management Act: # This product does not contain any substance included in the list of priority substances in the field of water policy under Directive 2000/60/EC~2013/39/EU.

Emissions to the atmosphere: # Not applicable.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

Appearance

- Physical state : # Clear liquid.
- Colour : # Colourless.
- Odour : # Characteristic.

pH-value

- pH : # Not applicable (non-aqueous media).

Change of state

- Melting point : # Not applicable (mixture).
- Initial boiling point : # 140* # °C at 760 mmHg

Density

- Vapour density : # 5.03* at 20°C 1 atm. Relative air
- Relative density : # 0.82 ± 0.05 # at 20/4°C Relative water

Stability

Viscosity:

- Dynamic viscosity : # 33. cps 20°C
- Kinematic viscosity : # 14. mm²/s at 40°C
- Viscosity (flow time) : # 15. ± 2. # sec.FC4 20°C

Volatility:

- Evaporation rate : # 207.4* nBuAc= 100 25°C Relative
- Vapour pressure : # 18.2* # mmHg at 20°C
- Vapour pressure : # 7.6* # kPa at 50°C

Solubility(ies)

- Partition coefficient: n-octanol/water : # Not applicable (mixture).

Flammability:

- Flash point : # 44* °C # CLP 2.6.4.3.
- Lower/upper flammability or explosive limits : # 0.6* - 7.0* % Volume 25°C
- Autoignition temperature : # 261* # °C

Explosive properties:

Not available.

Oxidizing properties:

Not classified as oxidizing product.

*Estimated values based on the substances composing the mixture.

9.2 OTHER INFORMATION:

- Heat of combustion : # 10670* Kcal/kg
- Solids : # 12. # % Weight
- VOC (supply) : # 722.0 g/l

The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the corresponding technical data sheet. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.

SECTION 10 : STABILITY AND REACTIVITY

10.1 REACTIVITY:

Corrosivity to metals: # It is not corrosive to metals.

Pyrophorical properties: # It is not pyrophoric.

10.2 CHEMICAL STABILITY:

Stable under recommended storage and handling conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Possible dangerous reaction with oxidizing agents, acids, metals.

10.4 CONDITIONS TO AVOID:

Heat: # Keep away from sources of heat.

Light: # If possible, avoid direct contact with sunlight.

Air: # The product is not affected by exposure to air, but should not be left the containers open.

Humidity: # Avoid extreme humidity conditions.

Pressure: # Not relevant.

Shock: # The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.

10.5 INCOMPATIBLE MATERIALS:

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

As consequence of thermal decomposition, hazardous products may be produced: hydrochloric acid, halogenated compounds.


 PLIONEUCE SEALER - Anti-Salt peter
 Code: 01.06


SECTION 11 : TOXICOLOGICAL INFORMATION

No experimental toxicological data on the preparation is available. The toxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~2020/1182 (CLP).

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:ACUTE TOXICITY:Dose and lethal concentrations

for individual ingredients :

Hydrocarbons C9-C12 (aromatics 2-25%)

Hydrocarbons C9 aromatics

Chlorinated paraffins C14- C17

LD50 (OECD 401)
mg/kg bw oral

> 5000. Rat

3592. Rat

26100. Rat

LD50 (OECD 402)
mg/kg bw cutaneous

> 2000. Rabbit

3160. Rabbit

13500. Rabbit

LC50 (OECD 403)
mg/m³·4h inhalation

> 13100. Rat

> 6193. Rat

> 20000. Rat

Estimates of acute toxicity (ATE)

for individual ingredients :

Not classified as a product with acute toxicity.

No observed adverse effect level

Not available

Lowest observed adverse effect level

Not available

INFORMATION ON LIKELY ROUTES OF EXPOSURE: Acute toxicity:

Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed	Criteria
<u>Inhalation:</u> Not classified	ATE > 20 000 mg/m ³	-	<i># Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.1.3.6.
<u>Skin:</u> Not classified	ATE > 20 00 mg/kg bw	-	<i># Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.1.3.6.
<u>Eyes:</u> Not classified	Not available	-	<i># Not classified as a product with acute toxicity by eye contact (lack of data).</i>	GHS/CLP 1.2.5.
<u>Ingestion:</u> Not classified	ATE > 20 00 mg/kg bw	-	<i># Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.1.3.6.

GHS/CLP 3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula).

CORROSION / IRRITATION / SENSITISATION :



Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
<u>Respiratory corrosion/irritation:</u> Not classified	-	-	<i># Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met).</i>	GHS/CLP 1.2.6. 3.8.3.4.
<u>Skin corrosion/irritation:</u> Not classified	-	-	<i># Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.2.3.3.
<u>Serious eye damage/irritation:</u> Not classified	-	-	<i># Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.3.3.3.
<u>Respiratory sensitisation:</u> Not classified	-	-	<i># Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.4.3.3.
<u>Skin sensitisation:</u> Not classified	-	-	<i># Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).</i>	GHS/CLP 3.4.3.3.

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components.

ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
<u>Aspiration hazard:</u> 	Lungs 	Cat. 1	<i># HAZARD OF ASPIRATION: May be fatal if swallowed and enters airways.</i>	GHS/CLP 3.10.3.3.

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.


 PLIONEUCE SEALER - Anti-Saltpeper
 Code: 01.06

SPECIFIC TARGET ORGANS TOXICITY (STOT) : Single exposure (SE) and/or Repeated exposure (RE):

Effects	SE/RE	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
<u>Systemic:</u> 	RE	Systemic 	Cat. 1	# TOXIC: Causes damage to organs through prolonged or repeated exposure if inhaled.	GHS/CLP 3.8.3.4.
<u>Cutaneous:</u>	RE	Skin 	-	# DEFATTENING: Repeated exposure may cause skin dryness or cracking.	GHS/CLP 1.2.4.
<u>Neurological:</u> 	SE	CNS 	Cat. 3	# NARCOSIS: May cause drowsiness or dizziness if inhaled.	GHS/CLP 3.8.3.4.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

CMR EFFECTS:
Carcinogenic effects: # It is not considered as a carcinogenic product.

Genotoxicity: # It is not considered as a mutagenic product.

Toxicity for reproduction: # Does not harm fertility. Does not harm the unborn child.

Effects via lactation: # May cause harm to breast-fed children.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:
Routes of exposure: # Not available.

Short-term exposure: # May irritate the eyes and skin. Very small amounts aspirated by the lungs may cause severe pulmonary damage, including death.

Long-term or repeated exposure:
INTERACTIVE EFFECTS:

Not available.

INFORMATION ABOUT TOXICOKINETICS, METABOLISM AND DISTRIBUTION:
Dermal absorption: # Not available.

Basic toxicokinetics: # Not available.

ADDITIONAL INFORMATION:

Not available.

SECTION 12 : ECOLOGICAL INFORMATION

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~2020/1182 (CLP).

12.1	<u>TOXICITY:</u>			
	<u>Acute toxicity in aquatic environment for individual ingredients:</u> Hydrocarbons C9-C12 (aromatics 2-25%) Hydrocarbons C9 aromatics Chlorinated paraffins C14-C17	<u>LC50 (OECD 203)</u> mg/l·96hours > 10. Fishes > 9.2 Fishes 5000. Fishes	<u>EC50 (OECD 202)</u> mg/l·48hours > 10. Daphnia > 3.2 Daphnia 0.0059 Daphnia	<u>EC50 (OECD 201)</u> mg/l·72hours > 4.6 Algae > 2.9 Algae > 3.2 Algae
	<u>No observed effect concentration</u> Chlorinated paraffins C14-C17	<u>NOEC (OECD 210)</u> mg/l·28days 0.12 Fishes	<u>NOEC (OECD 211)</u> mg/l·21days 0.0040 Daphnia	<u>NOEC (OECD 201)</u> mg/l·72hours
	<u>Lowest observed effect concentration</u> Chlorinated paraffins C14-C17	<u>LOEC (OECD 210)</u> mg/l·28days	<u>LOEC (OECD 211)</u> mg/l·21days 0.018 Daphnia	<u>LOEC (OECD 201)</u> mg/l·72hours

ASSESSMENT OF AQUATIC TOXICITY:

Aquatic toxicity	Cat.	Main hazards to the aquatic environment	Criteria
<u>Acute aquatic toxicity:</u> 	Cat. 1	# VERY TOXIC: Very toxic to aquatic life.	GHS/CLP 4.1.3.5.3.
<u>Chronic aquatic toxicity:</u> 	Cat. 2	# TOXIC: Toxic to aquatic life with long lasting effects.	GHS/CLP 4.1.3.5.4.

CLP 4.1.3.5.3: Classification of a mixture for acute hazards, based on summation of classified components.

CLP 4.1.3.5.4: Classification of a mixture for chronic (long term) hazards, based on summation of classified components.


 PLIONEUCE SEALER - Anti-Salt peter
 Code: 01.06
12.2 PERSISTENCE AND DEGRADABILITY:

Not available.

Aerobic biodegradation

for individual ingredients :

Hydrocarbons C9-C12 (aromatics 2-25%)

Hydrocarbons C9 aromatics

Chlorinated paraffins C14-C17

DOOmgO₂/g

3195.

~ 1500.

% DBO/DOO

5 days 14 days 28 days

Biodegradability

Easy

Easy

Not easy

Note: Biodegradability data correspond to an average of data from various bibliographic sources.

12.3 BIOACCUMULATIVE POTENTIAL:

Not available.

Bioaccumulation

for individual ingredients :

Hydrocarbons C9-C12 (aromatics 2-25%)

Hydrocarbons C9 aromatics

Chlorinated paraffins C14-C17

log Pow

5.65

3.30

7.40

BCF

L/kg

> 100. (calculated)

70. (calculated)

2152. (calculated)

Potential

Low

Low

High

12.4 MOBILITY IN SOIL:

Not available.

Mobility

for individual ingredients :

Hydrocarbons C9-C12 (aromatics 2-25%)

Hydrocarbons C9 aromatics

Chlorinated paraffins C14-C17

log Poc

4.90

2.96

6.42

Constant of HenryPa·m³/mol 20°C

440. (calculated)

Potential

Low

Low

High

12.5 RESULTS OF PBT AND VPVB ASSESSMENT: Annex XIII of Regulation (EC) no. 1907/2006:

Does not contain substances that fulfil the PBT/vPvB criteria.

12.6 OTHER ADVERSE EFFECTS:Ozone depletion potential: # Not applicable.Photochemical ozone creation potential: # Not available.Earth global warming potential: # In case of fire or incineration liberates CO₂.Endocrine disrupting potential: # Not available.**SECTION 13 : DISPOSAL CONSIDERATIONS**13.1 WASTE TREATMENT METHODS: # Directive 2008/98/EC~Regulation (EU) no. 1357/2014:

Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be handled and disposed in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.

Disposal of empty containers: # Directive 94/62/EC~2015/720/EU, Decision 2000/532/EC~2014/955/EU:

Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of emptying of the same, being the holder of the residue responsible for their classification, in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.

Procedures for neutralising or destroying the product:

Controlled incineration in special facilities for chemical waste, in accordance with local regulations. Contains halogenated compounds: In the case of incineration, take all necessary measures in order to avoid production and emission of furanes and dioxines into the atmosphere above the legal limits allowed.



PLIONEUCE SEALER - Anti-Salt peter
Code: 01.06



SECTION 14 : TRANSPORT INFORMATION

14.1	<u>UN NUMBER:</u> 1263	
14.2	<u>UN PROPER SHIPPING NAME:</u> PAINT	
14.3	<p><u>TRANSPORT HAZARD CLASS(ES):</u></p> <p><u>Transport by road (ADR 2021) and Transport by rail (RID 2021):</u></p> <ul style="list-style-type: none"> - Class: 3 - Packing group: III - Classification code: F1 - Tunnel restriction code: (D/E) - Transport category: 3, max. ADR 1.1.3.6. 1000 L - Limited quantities: 5 L (see total exemptions ADR 3.4) - Transport document: Consignment paper. - Instructions in writing: ADR 5.4.3.4 <p><u>Transport by sea (IMDG 39-18):</u></p> <ul style="list-style-type: none"> - Class: 3 - Packing group: III - Emergency Sheet (EmS): F-E,S_E - First Aid Guide (MFA G) : 310,313 - Marine pollutant: Yes. - Transport document: Shipping Bill of lading. <p><u>Transport by air (ICAO/IATA 2021):</u></p> <ul style="list-style-type: none"> - Class: 3 - Packing group: III - Transport document: Air Bill of lading. <p><u>Transport by inland waterways (ADN):</u> # Not available.</p>	
14.4	<u>PACKING GROUP:</u> See section 14.3	
14.5	<u>ENVIRONMENTAL HAZARDS:</u> # Classified as hazardous for the environment.	
14.6	<u>SPECIAL PRECAUTIONS FOR USER:</u> # Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are upright and secure. Ensure adequate ventilation.	
14.7	<u>TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:</u> # Not applicable.	

SECTION 15 : REGULATORY INFORMATION

15.1	<p><u>EU SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC:</u> The regulations applicable to this product generally are listed throughout this Safety Data Sheet.</p> <p><u>Restrictions on manufacture, placing on market and use:</u> See section 1.2</p> <p><u>Tactile warning of danger:</u> If the product is intended for the general public, is mandatory a tactile warning of danger. The technical specifications for tactile warning devices shall conform with EN ISO standard 11683 relating to 'Packaging - Tactile warnings of danger - Requirements.'</p> <p><u>Child safety protection:</u> If the product is intended for the general public, is required a child-resistant fastening. Child-proof fastenings used on reclosable packages shall comply with ISO standard 8317 relating to 'Child resistant packages - Requirements and methods of testing for reclosable packages.' Child-proof fastenings used on non-reclosable packages shall comply with CEN standard EN 862, relating to 'Packaging - Child-resistant packaging - Requirements and testing procedure s for non-reclosable packages for non-pharmaceutical products.'</p> <p><u>VOC information on the label:</u> # Contains VOC max. 722. g/l - The limit value 2004/42/CE - IIA cat. h) for the product ready for use is VOC max. 750. g/l (2010).</p> <p><u>OTHER REGULATIONS:</u></p> <p><u>Responsabilidade ambiental:</u> A utilização deste produto em Portugal fica sujeita ao regime de responsabilidade ambiental previsto no DL.147/2008.</p> <p><u>Control of the risks inherent in major accidents (Seveso III):</u> See section 7.2</p> <p><u>Other local legislations:</u> # The receiver should verify the possible existence of local regulations applicable to the chemical.</p>
15.2	<p><u>CHEMICAL SAFETY ASSESSMENT:</u> # A chemical safety assessment has not been carried out for this mixture.</p>



PLIONEUCE SEALER - Anti-Salt peter
Code: 01.06



SECTION 16 : OTHER INFORMATION

TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3:Hazard statements according the Regulation (EU) No. 1272/2008~2020/1182 (CLP), Annex III:

H226 Flammable liquid and vapour H304 May be fatal if swallowed and enters airways. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H362 May cause harm to breast-fed children. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. H372i Causes damage to organs through prolonged or repeated exposure if inhaled.

EVALUATION OF THE INFORMATION ON THE DANGER OF MIXTURES: See sections 9.1, 11.1 and 12.1.

ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:

It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of Safety Data Sheets and labelling of products as well.

MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:

- # · European Chemicals Agency: ECHA, <http://echa.europa.eu/>
- # · Access to European Union Law, <http://eur-lex.europa.eu/>
- # · Industrial Solvents Handbook, Ibert Mellan (Noyes Data Co., 1970).
- # · Threshold Limit Values, (ACGIH, 2018).
- # · European agreement on the international carriage of dangerous goods by road, (ADR 2021).
- # · International Maritime Dangerous Goods Code IMDG including Amendment 39-18 (IMO, 2018).

ABBREVIATIONS AND ACRONYMS:

List of abbreviations and acronyms that can be used (but not necessarily used) in this Safety Data Sheet:

- # · REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
- # · GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations.
- # · CLP: European regulation on Classification, Labelling and Packaging of substances and chemical mixtures.
- # · EINECS: European Inventory of Existing Commercial Chemical Substances.
- # · ELINCS: European List of Notified Chemical Substances.
- # · CAS: Chemical Abstracts Service (Division of the American Chemical Society).
- # · UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials.
- # · SVHC: Substances of Very High Concern.
- # · PBT: Persistent, bioaccumulable and toxic substances.
- # · vPvB: Very persistent and very bioaccumulable substances.
- # · DNEL: Derived No-Effect Level (REACH).
- # · PNEC: Predicted No-Effect Concentration (REACH).
- # · LD50: Lethal dose, 50 percent.
- # · LC50: Lethal concentration, 50 percent.
- # · UN: United Nations Organisation.
- # · ADR: European agreement concerning the international carriage of dangerous goods by road.
- # · RID: Regulations concerning the international transport of dangerous goods by rail.
- # · IMDG: International Maritime code for Dangerous Goods.
- # · IATA: International Air Transport Association.
- # · ICAO: International Civil Aviation Organization.

SAFETY DATA SHEET REGULATIONS:

Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No. 2015/830.

HISTORIC:Revision:

Version: 7 01/06/2017
Version: 8 25/05/2022

Changes since previous Safety Data Sheet:

Legislative, contextual, numerical, methodological and normative changes since the previous version of the present Safety Data Sheet are identified by a red-italic hash (#).

The information of this Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' working conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.